

- [Abebe (1997)] A. Abebe, C. L. Kuiken, J. Goudsmit, M. Valk, T. Messele, T. Sahlu, H. Yeneneh, A. Fontanet, W. D. F., & D. R. Wit. HIV type 1 subtype C in Addis Ababa, Ethiopia. *AIDS Res Hum Retroviruses* **13**:1071–5, 1997. (Medline: 97407546).
- [Abele & DeBry(1992)] L. G. Abele & R. W. DeBry. Florida dentist case: research affiliation and ethics. *Science* **255**:903, 1992. (Medline: 92188144).
- [Abimiku (1994)] A. G. Abimiku, T. L. Stern, A. Zwandor, P. D. Markham, C. Calef, S. Kyari, W. C. Saxinger, R. C. Gallo, M. Robert-Guroff, & M. S. Reitz. Subgroup G HIV type 1 isolates from Nigeria. *AIDS Res Hum Retroviruses* **10**:1581–1583, 1994. (Medline: 95194721).
- [Adachi (1986)] A. Adachi, H. E. Gendelman, S. Koenig, T. Folks, R. Willey, A. Rabson, & M. A. Martin. Production of acquired immunodeficiency syndrome-associated retrovirus in human and nonhuman cells transfected with an infectious molecular clone. *J Virol* **59**:284–91, 1986. (Medline: 86281827), (Genbank: M19921).
- [Ahmad (1995)] N. Ahmad, B. M. Baroudy, R. C. Baker, & C. Chappey. Genetic analysis of human immunodeficiency virus type 1 envelope V3 region isolates from mothers and infants after perinatal transmission. *J Virol* **69**:1001–1012, 1995. (Medline: 95115054), (Genbank: U16390 U16391 U16392 U16393 U16394 U16395 U16396 U16397 U16398 U16399 U16400 U16401 U16402 U16403 U16404 U16405 U16406 U16407 U16408 U16409 U16410 U16411 U16412 U16413 U16414 U16415 U16416 U16417 U16418).
- [Ait-Khaled & Emery(1993)] M. Ait-Khaled & V. C. Emery. Sequence variation within the human immunodeficiency virus V3 loop at seroconversion. *J Med Virol* **41**:270–274, 1993. (Medline: 94149438).
- [Alaeus (1997)] A. Alaeus, T. Leitner, K. Lidman, & J. Albert. Most HIV-1 genetic subtypes have entered Sweden. *AIDS* **11**:199–202, 1997. (Medline: 97182327).
- [Albert (1992)] J. Albert, L. Franzen, M. Jansson, G. Scarlatti, P. K. Kataaha, E. Katabira, F. Mubiro, M. Rydaker, P. Rossi, & U. P. et al. Ugandan HIV-1 V3 loop sequences closely related to the U.S./European consensus. *Virology* **190**:674–81, 1992. (Medline: 92391084), (Genbank: M98894 M98895 M98896 M98897 M98898 M98899 M98900 M98901 M98902 M98903 M98904 M98905 M98906 M98907 M98908 M98909 M98910 M98911 M98912 M98913 M98914 M98915 M98916 M98917 M98918 M98919 M98920 M98921 M98922 M98923).
- [Alizon (1986)] M. Alizon, S. Wain-Hobson, L. Montagnier, & P. Sonigo. Genetic variability of the AIDS virus: nucleotide sequence analysis of two isolates from African patients. *Cell* **46**:63–74, 1986. (Medline: 86245056), (Genbank: K02013 K03454 K03456).
- [Anand (1989)] R. Anand, R. Thayer, A. Srinivasan, S. Nayyar, M. Gardner, P. Luciw, & S. Dandekar. Biological and molecular characterization of human immunodeficiency virus (HIV-1BR) from the brain of a patient with progressive dementia. *Virology* **168**:79–89, 1989. (Medline: 89085613), (Genbank: M21098).
- [Andeweg (1992)] A. C. Andeweg, M. Groenink, P. Leeflang, G. de R. E., A. D. Osterhaus, M. Tersmette, & M. L. Bosch. Genetic and functional analysis of a set of HIV-1 envelope genes obtained from biological clones with varying syncytium-inducing capacities. *AIDS Res Hum Retroviruses* **8**:1803–13, 1992. (Medline: 93090463).
- [Antonioli (1995)] I. M. Antonioli, C. Baumberger, S. Yerly, & L. Perrin. V3 sequences in primary HIV-1 infection. *AIDS* **9**:11–17, 1995. (Medline: 95200567).
- [Apetrei (1997)] C. Apetrei, I. Loussert-Ajaka, G. Collin, F. Letourneur, M. Duca, S. Saragosti, F. Simon, & F. Brun-Vezinet. HIV type 1 subtype F sequences in Romanian children and adults. *AIDS Res Hum Retroviruses* **13**:363–5, 1997. (Medline: 97225064), (Genbank: Z83284 Z83285 Z83286 Z83287 Z83288 Z83289 Z83290 Z83291 Z83292 Z83293 Z83294 Z83295 Z83296 Z83297 Z83298 Z83299 Z83300 Z83301 Z83302 Z83303).

- [Arnold (1995a)] C. Arnold, P. Balfe, & J. P. Clewley. Sequence distances between env genes of HIV-1 from individuals infected from the same source: implications for the investigation of possible transmission events. *Virology* **211**:198–203, 1995a. (Medline: 95373135), (Genbank: U23112 U23113 U23114 U23115 U23116 U23117 U23118 U23119 U23120 U23121 U23122 U23123 U23124 U23125 U23126 U23127 U23128 U23129 U23130 U23131 U23132 U23133 U23134 U23135 U23136 U23137 U23138).
- [Arnold (1995b)] C. Arnold, K. L. Barlow, S. Kaye, C. Loveday, P. Balfe, & J. P. Clewley. HIV type 1 sequence subtype G transmission from mother to infant: failure of variant sequence species to amplify in the Roche Amplicor Test. *AIDS Res Hum Retroviruses* **11**:999–1001, 1995b. (Medline: 96020103), (Genbank: U26301 U26302 U26303 U26304 U26305 U26306 U26307).
- [Arnold (1995c)] C. Arnold, K. L. Barlow, J. V. Parry, & J. P. Clewley. At least five HIV-1 sequence subtypes (A, B, C, D, A/E) occur in England. *AIDS Res Hum Retroviruses* **11**:427–429, 1995c. (Medline: 95306148), (Genbank: U21095 U21096 U21097 U21098 U21099 U21100 U21106 Z33479).
- [Artenstein (1995)] A. W. Artenstein, T. C. VanCott, J. R. Mascola, J. K. Carr, P. A. Hegerich, J. Gaywee, E. Sanders-Buell, M. L. Robb, D. E. Dayhoff, & S. T. et al. Dual infection with human immunodeficiency virus type 1 of distinct envelope subtypes in humans. *J Infect Dis* **171**:805–810, 1995. (Medline: 95221984), (Genbank: U21471 U21472 U21473 U21474 U21475 U21476).
- [Ashkenazi (1991)] A. Ashkenazi, D. H. Smith, S. A. Marsters, L. Riddle, T. J. Gregory, D. D. Ho, & D. J. Capon. Resistance of primary isolates of human immunodeficiency virus type 1 to soluble CD4 is independent of CD4-rgp120 binding affinity. *Proc Natl Acad Sci U S A* **88**:7056–60, 1991. (Medline: 91334404).
- [Asjo (1986)] B. Asjo, L. Morfeldt-Manson, J. Albert, G. Biberfeld, A. Karlsson, K. Lidman, & E. M. Fenyo. Replicative capacity of human immunodeficiency virus from patients with varying severity of HIV infection. *Lancet* **2**:660–662, 1986. (Medline: 87013480).
- [Ataman-Onal (99)] Y. Ataman-Onal, C. Coiffier, A. Giraud, A. Babic-Erceg, F. Biron, & B. Verrier. Comparison of complete env gene sequences from individuals with symptomatic primary HIV type 1 infection. *AIDS Res Hum Retroviruses* **15**:1035–9, 99. OTE: (Medline: 99372987).
- [Atkin (1993)] A. Atkin, G. Pestano, D. Serwadda, A. M. Prince, D. Pascual, N. Sewankambo, & W. M. Boto. Phylogenetic and serological characterization of two Ugandan HIV-1 isolates. *AIDS Res Hum Retroviruses* **9**:351–6, 1993. (Medline: 93290930), (Genbank: M98503 M98504).
- [Audoly (1996)] G. Audoly, S. Fillon, P. Pinay, & C. Desgranges. In vivo and in vitro sequence diversity of the V3 env region of HIV type 1 from the Ivory Coast. *AIDS Res Hum Retroviruses* **12**:1073–1075, 1996. (Medline: 96424763).
- [Ayyavoo (1996)] V. Ayyavoo, K. E. Ugen, L. S. Fernandes, J. J. Goedert, A. Rubinstein, W. V. Williams, & D. B. Weiner. Analysis of genetic heterogeneity, antigenicity, and biological characteristics of HIV-1 in a maternal transmitter and nontransmitter patient pair. *DNA Cell Biol.* **15**:571–580, 1996. (Medline: 96326292), (Genbank: U07833 U07834 U07835 U07836 U07837 U07839 U07840 U07841 U07891 U07892 U07893 U07894 U07895 U07896 U07897 U07898 U07899 U07900 U07901 U07902 U07903 U07904 U07905 U07906 U07907 U07908 U07909 U07910 U07911 U07912).
- [Bagnarelli (1999)] P. Bagnarelli, F. Mazzola, S. Menzo, M. Montroni, L. Butini, & M. Clementi. Host-specific modulation of the selective constraints driving human immunodeficiency virus type 1 env gene evolution. *J Virol* **73**:3764–77, 1999. (Medline: 99214314).
- [Balfe (1990)] P. Balfe, P. Simmonds, C. A. Ludlam, J. O. Bishop, & A. J. Brown. Concurrent evolution of human immunodeficiency virus type 1 in patients infected from the same source: rate of sequence change and low frequency of inactivating mutations. *J Virol* **64**:6221–33, 1990. (Medline: 91056593), (Genbank: M36997).
- [Balotta (1997a)] C. Balotta, P. Bagnarelli, C. Riva, A. Valenza, S. Antinori, M. C. Colombo, R. Sampaolesi, M. Violin, P. de M. P., M. Moroni, M. Clementi, & M. Galli. Comparable biological and

- molecular determinants in HIV type 1-infected long-term nonprogressors and recently infected individuals. *AIDS Res Hum Retroviruses* **13**:337–41, 1997a. (Medline: 97225060).
- [Balotta (1997b)] C. Balotta, P. Bagnarelli, M. Violin, A. L. Ridolfo, D. Zhou, A. Berlusconi, S. Corvasce, M. Corbellino, M. Clementi, M. Clerici, M. Moroni, & M. Galli. Homozygous delta 32 deletion of the CCR-5 chemokine receptor gene in an HIV-1-infected patient. *AIDS* **11**:F67–71, 1997b. (Medline: 97401097).
- [Barin (1996)] F. Barin, Y. Lahbabi, L. B. B. Lejeune, A. Baillou-Beaufils, F. Denis, C. Mathiot, S. M'Boup, V. Vithayasai, U. Dietrich, & A. Goudeau. Diversity of antibody binding to V3 peptides representing consensus sequences of HIV type 1 genotypes A to E: an approach for HIV type 1 serological subtyping. *AIDS Res Hum Retroviruses* **12**:1279–1289, 1996.
- [Baskar (1994)] P. V. Baskar, S. C. Ray, R. Rao, T. C. Quinn, J. E. Hildreth, & R. C. Bollinger. Presence in India of HIV type 1 similar to North American strains. *AIDS Res Hum Retroviruses* **10**:1039–1041, 1994. (Medline: 95110628), (Genbank: L29091 L29092 L29093 L29094).
- [Becker (1995)] M. L. Becker, J. D. G., & W. B. Becker. Analysis of partial gag and env gene sequences of HIV type 1 strains from southern Africa. *AIDS Res. Hum. Retroviruses* **11**:1265–1267, 1995. (Medline: 96157217), (Genbank: X52154).
- [Belda (1998)] F. J. Belda, K. L. Barlow, G. Murphy, J. V. Parry, & J. P. Clewley. A dual subtype B/E HIV type 1 infection with a novel V3 loop crown motif among infections acquired in Thailand and imported into England. *AIDS Res Hum Retroviruses* **14**:911–6, 1998. (Medline: 98334295).
- [Belec (1998)] L. Belec, A. S. Mohamed, M. C. Muller-Trutwin, J. Gilquin, L. Gutmann, M. Safar, F. Barre-Sinoussi, & M. D. Kazatchkine. Genetically related human immunodeficiency virus type 1 in three adults of a family with no identified risk factor for intrafamilial transmission. *J Virol* **72**:5831–9, 1998. (Medline: 98285741).
- [Bex (1994)] F. Bex, P. Hermans, S. Sprecher, A. Achour, R. Badjou, C. Desgranges, J. Cogniaux, P. Franchioli, C. Vanhulle, & A. Lachgar. Syngeneic adoptive transfer of anti-human immunodeficiency virus (HIV- 1)-primed lymphocytes from a vaccinated HIV-seronegative individual to his HIV-1-infected identical twin. *Blood* **84**:3317–26, 1994. (Medline: 95036224).
- [Bieniasz (1997)] P. D. Bieniasz, R. A. Fridell, I. Aramori, S. S. Ferguson, M. G. Caron, & B. R. Cullen. HIV-1-induced cell fusion is mediated by multiple regions within both the viral envelope and the CCR-5 co-receptor. *EMBO J* **16**:2599–2609, 1997.
- [Blackard (1999)] J. T. Blackard, B. R. Renjifo, D. Mwakagile, M. A. Montano, W. W. Fawzi, & M. Essex. Transmission of human immunodeficiency type 1 viruses with intersubtype recombinant long terminal repeat sequences. *Virology* **254**:220–5, 1999. (Medline: 99143336).
- [Blanchard (1998)] A. Blanchard, S. Ferris, S. Chamaret, D. Guetard, & L. Montagnier. Molecular evidence for nosocomial transmission of human immunodeficiency virus from a surgeon to one of his patients. *J Virol* **72**:4537–40, 1998. (Medline: 98216834).
- [Bobkov (1994a)] A. Bobkov, R. Cheingsong-Popov, M. Garaev, A. Rzhainova, P. Kaleebu, S. Beddows, M. H. Bachmann, J. I. Mullins, J. Louwagie, & W. J. et al. Identification of an env G subtype and heterogeneity of HIV-1 strains in the Russian Federation and Belarus. *AIDS* **8**:1649–1655, 1994a. (Medline: 95194609), (Genbank: U08356 U08357 U08358 U08359 U08360 U08361 U08362 U08363 U08364 U08365 U08366 U08367 U08368).
- [Bobkov (1996a)] A. Bobkov, R. Cheingsong-Popov, M. Garaev, & J. Weber. Glycoprotein 120 polymorphism in an HIV type 1 epidemic originating from a point source: nucleotide sequence analysis of variants with conserved V3 loop sequences. *AIDS Res Hum Retroviruses* **12**:251–253, 1996a. (Medline: 96432138).
- [Bobkov (1996b)] A. Bobkov, R. Cheingsong-Popov, M. Salminen, F. McCutchan, J. Louwagie, K. Ariyoshi, H. Whittle, & J. Weber. Complex mosaic structure of the partial envelope sequence

- from a Gambian HIV type 1 isolate. *AIDS Res Hum Retroviruses* **12**:169–171, 1996b. (Medline: 96431385).
- [Bobkov (1996c)] A. Bobkov, R. Cheingsong-Popov, L. Selimova, E. Kazennova, N. Karasyova, A. Kravchenko, N. Ladnaya, V. Pokrovsky, & J. Weber. Genetic heterogeneity of HIV type 1 in Russia: identification of H variants and relationship with epidemiological data. *AIDS Res Hum Retroviruses* **12**:1687–90, 1996c. (Medline: 97118361), (Genbank: U33104 U33105 U33106 U33107 U33108).
- [Bobkov (1997a)] A. Bobkov, R. Cheingsong-Popov, L. Selimova, N. Ladnaya, E. Kazennova, A. Kravchenko, E. Fedotov, S. Saukhat, S. Zverev, V. Pokrovsky, & J. Weber. An HIV type 1 epidemic among injecting drug users in the former Soviet Union caused by a homogeneous subtype A strain. *AIDS Res Hum Retroviruses* **13**:1195–201, 1997a. (Medline: 97454211), (Genbank: U93611 U93612 U93613 U93614 U93615 U93616 U93617 U93618 U93619 U93620 U93621 U93622 U93623 U93624 U93625 U93626 U93627 U93628 U93629 U93630 U93631 U93632 U93633 U93634 U93635 U93636 U93637 U93638 U93639 U93640).
- [Bobkov (1997b)] A. Bobkov, R. Cheingsong-Popov, L. Selimova, N. Ladnaya, E. Kazennova, A. Kravchenko, V. Pokrovsky, & J. Weber. HIV type 1 subtype E in Russia. *AIDS Res Hum Retroviruses* **13**:725–7, 1997b. (Medline: 97311525), (Genbank: U93607 U93608 U93609 U93610).
- [Bobkov (1994b)] A. Bobkov, M. M. Garaev, A. Rzhainina, P. Kaleebu, R. Pitman, J. N. Weber, & R. Cheingsong-Popov. Molecular epidemiology of HIV-1 in the former Soviet Union: analysis of env V3 sequences and their correlation with epidemiologic data. *AIDS* **8**:619–624, 1994b. (Medline: 94338597).
- [Bobkov (1998a)] A. Bobkov, E. Kazennova, L. Selimova, M. Bobkova, T. Khanina, N. Ladnaya, A. Kravchenko, V. Pokrovsky, R. Cheingsong-Popov, & J. Weber. A sudden epidemic of HIV type 1 among injecting drug users in the former Soviet Union: identification of subtype A, subtype B, and novel gagA/envB recombinants. *AIDS Res Hum Retroviruses* **14**:669–76, 1998a. (Medline: 98278640).
- [Bobkov (1998b)] A. Bobkov, E. Kazennova, L. Selimova, M. Bobkova, T. Khanina, N. Ladnaya, A. Kravchenko, V. Pokrovsky, R. Cheingsong-Popov, J. Weber, J. A. Brandful, W. K. Ampofo, W. Janssens, Y. Adu-Sarkodie, F. Apeagyei, F. Anyomi, S. Aidoo, N. Yamamoto, K. Ishikawa, T. Sata, & T. Kurata. Genetic and phylogenetic analysis of HIV type 1 strains from southern Ghana. *AIDS Res Hum Retroviruses* **14**:815–9, 1998b. (Medline: 98305536).
- [Bobkov (1998c)] A. Bobkov, E. Kazennova, L. Selimova, N. Ladnaya, A. Kravchenko, B. Foley, I. Morrison, V. Pokrovsky, J. Weber, & R. Cheingsong-Popov. HIV type 1 gag D/env G recombinants in Russia. *AIDS Res Hum Retroviruses* **14**:1597–9, 1998c. (Medline: 99054028).
- [Bobkov (1997c)] A. F. Bobkov, V. V. Pokrovskii, L. M. Selimova, E. V. Kazennova, N. G. Karaseva, N. N. Ladnaia, A. V. Kravchenko, R. Cheingsong-Popov, & D. Veber. (Genotyping and phylogenetic analysis of HIV-1 isolates circulating in Russia) LA - Rus. *Vopr Virusol* **42**:13–6, 1997c. (Medline: 97216819).
- [Bredell (1998)] H. Bredell, C. Williamson, P. Sonnenberg, D. J. Martin, & L. Morris. Genetic characterization of HIV type 1 from migrant workers in three South African gold mines. *AIDS Res Hum Retroviruses* **14**:677–84, 1998. (Medline: 98278641).
- [Bregel-Pesce (1999)] K. Bregel-Pesce, P. Innocenti-Francillard, P. Morand, A. Michault, P. Poubeau, F. Barin, S. Saragosti, & J. M. Seigneurin. Serologic and genetic characterization of HIV type 1 subtypes on Reunion Island. *AIDS Res Hum Retroviruses* **15**:787–92, 1999. (Medline: 99308896).
- [Briant (1995)] L. Briant, C. M. Wade, J. Puel, A. J. Brown, & M. Guyader. Analysis of envelope sequence variants suggests multiple mechanisms of mother-to-child transmission of human immunodeficiency virus type 1. *J Virol* **69**:3778–3788, 1995. (Medline: 95264471), (Genbank: U24717 U24718 U24719 U24720 U24721 U24722 U24723 U24724 U24725 U24726 U24727 U24728 U24729 U24730 U24731 U24732 U24733 U24734 U24735 U24736 U24737 U24738 U24739 U24740 U24741 U24742 U24743 U24744 U24745 U24746).

- [Brown (1996)] T. M. Brown, K. E. Robbins, M. Sinniah, T. S. Saraswathy, V. Lee, L. S. Hooi, B. Vijayamalar, C. C. Luo, C. Y. Ou, J. Rapier, G. Schochetman, & M. L. Kalish. Human immunodeficiency virus type 1 subtypes in Malaysia include B C, and E. *AIDS Res Hum Retroviruses* **12**:1655–1657, 1996.
- [Bruce (1993)] C. Bruce, C. Clegg, A. Featherstone, J. Smith, & J. Oram. Sequence analysis of the gp120 region of the env gene of Ugandan human immunodeficiency proviruses from a single individual. *AIDS Res Hum Retroviruses* **9**:357–63, 1993. (Medline: 93290931).
- [Buonaguro (1998)] L. Buonaguro, F. M. Buonaguro, F. Russo, M. L. Tornesello, E. Beth-Giraldo, R. Wagner, H. Wolf, & G. Giraldo. A novel glycoprotein 120 sequence from an HIV type 1 isolate of the A clade identified in North Uganda. *AIDS Res Hum Retroviruses* **14**:1287–9, 1998. (Medline: 98435942).
- [Buonaguro (1995)] L. Buonaguro, G. D. E., M. Monaco, D. Greco, P. Corti, E. Beth-Giraldo, F. M. Buonaguro, & G. Giraldo. Heteroduplex mobility assay and phylogenetic analysis of V3 region sequences of human immunodeficiency virus type 1 isolates from Gulu, northern Uganda. The Italian-Ugandan Cooperation AIDS Program. *J Virol* **69**:7971–7981, 1995. (Medline: 96079047).
- [Burger (1991)] H. Burger, B. Weiser, K. Flaherty, J. Gulla, P. N. Nguyen, & R. A. Gibbs. Evolution of human immunodeficiency virus type 1 nucleotide sequence diversity among close contacts. *Proc Natl Acad Sci U S A* **88**:11236–40, 1991. (Medline: 92107924), (Genbank: M77229 M77230 M77278).
- [Cabello (1995)] A. Cabello, M. Cabral, M. E. Vera, R. Kiefer, R. M. Azorero, J. Eberle, L. Gurtler, & B. V. A. Analysis of the V3 loop sequences from 10 HIV type 1-infected AIDS patients from Paraguay. *AIDS Res. Hum. Retroviruses* **11**:1135–7, 1995. (Medline: 96089222).
- [Calabro (1995)] M. L. Calabro, C. Zanotto, F. Calderazzo, C. Crivellaro, M. D. A., R. D. A., & L. Chieco-Bianchi. HIV-1 infection of the thymus: evidence for a cytopathic and thymotropic viral variant in vivo. *AIDS Res Hum Retroviruses* **11**:11–19, 1995. (Medline: 95251923).
- [Campodonico (1996)] M. Campodonico, W. Janssens, L. Heyndrickx, K. Franssen, A. Leonaers, F. F. Fay, M. Taborda, der Van Groen, & O. H. Fay. HIV type 1 subtypes in Argentina and genetic heterogeneity of the V3 region. *AIDS Res Hum Retroviruses* **12**:79–81, 1996. (Medline: 96423022), (Genbank: U37030 U37031 U37032 U37033 U37034 U37035 U37036 U37037 U37038 U37039 U37040 U37041 U37042 U37043).
- [Candotti (1991)] D. Candotti, M. Jung, D. Kerouedan, M. Rosenheim, M. Gentilini, P. M'Pele, J. M. Huraux, & H. Agut. Genetic variability affects the detection of HIV by polymerase chain reaction. *AIDS* **5**:1003–7, 1991. (Medline: 92134646).
- [Candotti (1999)] D. Candotti, C. Tareau, F. Barin, C. Joberty, M. Rosenheim, P. M'Pele, J. M. Huraux, & H. Agut. Genetic subtyping and V3 serotyping of HIV type 1 isolates in Congo. *AIDS Res Hum Retroviruses* **15**:309–14, 1999. (Medline: 99160128).
- [Cao (1997)] H. Cao, P. Kanki, J. L. Sankale, A. Dieng-Sarr, G. P. Mazzara, S. A. Kalams, B. Korber, S. Mboup, & B. D. Walker. Cytotoxic T-lymphocyte cross-reactivity among different human immunodeficiency virus type 1 clades: implications for vaccine development. *J Virol* **71**:8615–23, 1997. (Medline: 98001384).
- [Carr (1999)] J. K. Carr, T. Laukkanen, M. O. Salminen, J. Albert, A. Alaeus, B. Kim, E. Sanders-Buell, D. L. Birx, & F. E. McCutchan. Characterization of subtype A HIV-1 from Africa by full genome sequencing. *AIDS* **13**:1819–26, 1999. (Medline: 99441797).
- [Carr (1998)] J. K. Carr, M. O. Salminen, J. Albert, E. Sanders-Buell, D. Gotte, D. L. Birx, & F. E. McCutchan. Full genome sequences of human immunodeficiency virus type 1 subtypes G and A/G intersubtype recombinants. *Virology* **247**:22–31, 1998. (Medline: 98354338).

- [Carr (1996)] J. K. Carr, M. O. Salminen, C. Koch, D. Gotte, A. W. Artenstein, P. A. Hegerich, L. S. D., D. S. Burke, & F. E. McCutchan. Full-length sequence and mosaic structure of a human immunodeficiency virus type 1 isolate from Thailand. *J. Virol.* **70**:5935–5943, 1996. (Medline: 96323109), (Genbank: U54771).
- [Cassol (1996)] S. Cassol, B. Weniger, P. Babu, M. Htoon, A. Delaney, M. O’Shaughnessy, & C.-Y. Ou. Detection of hiv-1 env subtypes a, b, c, and e in asia using dried blood spots: A new surveillance tool for molecular epidemiology. *AIDS Res. Hum. Retroviruses* **12**:1435–1441, 1996.
- [Chang (1997)] K. Chang, C. Lin, J. Chen, C. Shih, H. C. Lin, R. Lin, S. Twu, & M. Salminen. Hiv-1 env gene diversity detected in taiwan. *AIDS Res. Hum. Retroviruses* **13**(2):201–204, 1997. (Medline: 97159690).
- [Charneau (1994)] P. Charneau, A. M. Borman, C. Quillent, D. Guetard, S. Chamaret, J. Cohen, G. Remy, L. Montagnier, & F. Clavel. Isolation and envelope sequence of a highly divergent HIV-1 isolate: definition of a new HIV-1 group. *Virology* **205**:247–253, 1994. (Medline: 95065659).
- [Chen (1999)] J. Chen, N. L. Young, S. Subbarao, P. Warachit, S. Saguanwongse, S. Wongsheree, C. Jayavasu, C. C. Luo, & T. D. Mastro. HIV type 1 subtypes in Guangxi Province, China, 1996 [published erratum appears in AIDS Res Hum Retroviruses 1999 May 20;15(8):786]. *AIDS Res Hum Retroviruses* **15**:81–4, 1999. (Medline: 99146662).
- [Chen (1997)] M. Chen, M. K. Singh, R. Balachandran, & P. Gupta. Isolation and characterization of two divergent infectious molecular clones of HIV type 1 longitudinally obtained from a seropositive patient by a progressive amplification procedure. *AIDS Res Hum Retroviruses* **13**:743–50, 1997. (Medline: 97315044).
- [Cheng-Mayer (1988)] C. Cheng-Mayer, J. Homsy, L. A. Evans, & J. A. Levy. Identification of human immunodeficiency virus subtypes with distinct patterns of sensitivity to serum neutralization. *Proc Natl Acad Sci U S A* **85**:2815–9, 1988. (Medline: 88190159).
- [Cheng-Mayer (1990)] C. Cheng-Mayer, M. Quiroga, J. W. Tung, D. Dina, & J. A. Levy. Viral determinants of human immunodeficiency virus type 1 T-cell or macrophage tropism, cytopathogenicity, and CD4 antigen modulation. *J Virol* **64**:4390–8, 1990. (Medline: 90347835), (Genbank: M65024).
- [Cheng-Mayer (1991)] C. Cheng-Mayer, T. Shioda, & J. A. Levy. Host range, replicative, and cytopathic properties of human immunodeficiency virus type 1 are determined by very few amino acid changes in tat and gp120. *J Virol* **65**:6931–41, 1991. (Medline: 92046357).
- [Cho (1998)] M. W. Cho, M. K. Lee, M. C. Carney, J. F. Berson, R. W. Doms, & M. A. Martin. Identification of determinants on a dualtropic human immunodeficiency virus type 1 envelope glycoprotein that confer usage of CXCR4. *J Virol* **72**:2509–15, 1998. (Medline: 98139155).
- [Choi (1997)] D. J. Choi, S. Dube, T. P. Spicer, H. B. Slade, F. C. Jensen, & B. J. Poiesz. HIV type 1 isolate Z321, the strain used to make a therapeutic HIV type 1 immunogen, is intersubtype recombinant. *AIDS Res Hum Retroviruses* **13**:357–61, 1997. (Medline: 97225063), (Genbank: K02007 U50207 U50208 U76035).
- [Ciesielski (1991)] C. A. Ciesielski, D. M. Bell, & D. W. Marianos. Transmission of HIV from infected health-care workers to patients. *AIDS* **5 Suppl 2**:S93–7, 1991. (Medline: 93264041).
- [Ciesielski (1994)] C. A. Ciesielski, D. W. Marianos, G. Schochetman, J. J. Witte, & H. W. Jaffe. The 1990 Florida dental investigation: The press and the science. *Ann Intern Med* **121**:886–888, 1994. (Medline: 95069397).
- [Clark (1991)] S. J. Clark, M. S. Saag, W. D. Decker, S. Campbell-Hill, J. L. Roberson, P. J. Veldkamp, J. C. Kappes, B. H. Hahn, & G. M. Shaw. High titers of cytopathic virus in plasma of patients with symptomatic primary HIV-1 infection. *N Engl J Med* **324**:954–60, 1991. (Medline: 91163598).
- [Cleland (1996)] A. Cleland, H. G. Watson, P. Robertson, C. A. Ludlam, & A. J. Brown. Evolution of zidovudine resistance-associated genotypes in human immunodeficiency virus type 1-infected patients.

- J Acquir Immune Defic Syndr Hum Retrovirol* **12**:6–18, 1996. (Medline: 96242958), (Genbank: U45026 U45027 U45028 U45029 U45030 U45031 U45032 U45033 U45034 U45035 U45036 U45037 U45038 U45039 U45040 U45041 U45042 U45043 U45044 U45045 U45046 U45047 U45048 U45049 U45050 U45051 U45052 U45053 U45054 U45055).
- [Cocchi (1996)] E. Cocchi, A. L. DeVico, A. Garzino-Demo, A. Cara, R. C. Gallo, & P. Lusso. The V3 domain of the HIV-1 gp120 envelope glycoprotein is critical for chemokine-mediated blockage of infection. *Nat Med* **270**:1811–1815, 1996.
- [Cohen (1995)] J. H. Cohen, D. Guetard, F. Philbert, S. Chamaret, T. Tabary, R. Deleys, & L. Montagnier. Atypical HIV serological profile of novel HIV-1 variant distinct from subtype O (letter). *Lancet* **345**:856, 1995. (Medline: 95206029), (Genbank: X83215 X83216).
- [Collman (1992)] R. Collman, J. W. Balliet, S. A. Gregory, H. Friedman, D. L. Kolson, N. Nathanson, & A. Srinivasan. An infectious molecular clone of an unusual macrophage-tropic and highly cytopathic strain of human immunodeficiency virus type 1. *J Virol* **66**:7517–21, 1992. (Medline: 93059708), (Genbank: M96155).
- [Connor (1998)] R. I. Connor, B. T. Korber, B. S. Graham, B. H. Hahn, D. D. Ho, B. D. Walker, A. U. Neumann, S. H. Vermund, J. Mestecky, S. Jackson, E. Fenamore, Y. Cao, F. Gao, S. Kalams, K. J. Kunstman, D. McDonald, N. McWilliams, A. Trkola, J. P. Moore, & S. M. Wolinsky. Immunological and virological analyses of persons infected by human immunodeficiency virus type 1 while participating in trials of recombinant gp120 subunit vaccines. *J Virol* **72**:1552–76, 1998. (Medline: 98105804).
- [Contag (1997)] C. H. Contag, A. Ehrnst, J. Duda, A. B. Bohlin, S. Lindgren, G. H. Learn, & J. I. Mullins. Mother-to-infant transmission of human immunodeficiency virus type 1 involving five envelope sequence subtypes. *J Virol* **71**:1292–300, 1997. (Medline: 97151117), (Genbank: U56263 U56264 U56265 U56266 U56267 U56268 U56269 U56270 U56271 U56272 U56273 U56274 U56275 U56276 U56277 U56278 U56279 U56280 U56281 U56282 U56283 U56284 U56285 U56286 U56287 U56288 U56289 U56290 U56291 U56292).
- [Cornelissen (1995)] M. Cornelissen, G. Mulder-Kampinga, J. Veenstra, F. Zorgdrager, C. Kuiken, S. Hartman, J. Dekker, der van Hoek, C. Sol, & R. C. et al. Syncytium-inducing (SI) phenotype suppression at seroconversion after intramuscular inoculation of a non-syncytium-inducing/SI phenotypically mixed human immunodeficiency virus population. *J Virol* **69**:1810–1818, 1995. (Medline: 95156613), (Genbank: Z47411 Z47540).
- [Couto-Fernandez (1994)] J. C. Couto-Fernandez, W. Janssens, L. Heyndrickx, J. Motte, K. Franssen, M. Peeters, E. Delaporte, B. Galvao-Castro, P. Piot, & G. van der Groen. Genetic and antigenic variability of HIV type 1 in Brazil. *AIDS Res Hum Retroviruses* **10**:1157–1163, 1994. (Medline: 95127298).
- [Covas (1998)] D. T. Covas, T. A. Biscaro, S. Kashima, G. Duarte, & A. A. Machado. High frequency of the GWG (Pro Trp) envelope variant of HIV-1 in Southeast Brazil. *J Acquir Immune Defic Syndr Hum Retrovirol* **19**:74–9, 1998. (Medline: 98400822).
- [Crandall(1995)] K. A. Crandall. Intraspecific phylogenetics: support for dental transmission of human immunodeficiency virus. *J Virol* **69**:2351–2356, 1995. (Medline: 95191010).
- [D. (1996)] F. R. D., M. Jansson, E. Halapi, J. C. Russi, O. Libonatti, & H. Wigzell. Genetic analysis of V3 domain sequences obtained from Uruguayan HIV type 1-infected individuals. *AIDS Res Hum Retroviruses* **12**:1491–3, 1996. (Medline: 97048221).
- [da Costa (1995)] S. M. da Costa, M. Schechter, N. Shindo, A. C. Vicente, E. F. Oliveira, M. E. Pinto, & A. Tanuri. Sequence and phylogenetic analysis of glycoprotein 120 of an HIV type 1 variant (GWGR) prevalent in Brazil. *AIDS Res. Hum. Retroviruses* **11**:1143–5, 1995. (Medline: 96089224).
- [Daniels (1991)] R. S. Daniels, M. H. Smith, & A. G. Fisher. Molecular characterization of biologically diverse envelope variants of human immunodeficiency virus type 1 derived from an individual. *J Virol* **65**:5574–8, 1991. (Medline: 91374618).

- [Davis (1998)] I. C. Davis, M. Girard, & P. N. Fultz. Loss of CD4+ T cells in human immunodeficiency virus type 1-infected chimpanzees is associated with increased lymphocyte apoptosis. *J Virol* **72**:4623–32, 1998. (Medline: 98241696).
- [de Jong (1992)] J. J. de Jong, J. Goudsmit, W. Keulen, B. Klaver, W. J. A. Krone, M. Tersmette, & A. de Ronde. Human immunodeficiency virus type 1 clones chimeric for the envelope V3 domain differ in syncytium formation and replication capacity. *J Virol* **66**:757–765, 1992.
- [de Souza (1997)] M. de Souza, M. S. Song, J. K. Carr, E. Sanders-Buell, Y. Shin, A. W. Artenstein, H. Lee, F. E. McCutchan, & A. E. Brown. HIV-1 subtypes A and B isolated from the Republic of Korea [letter]. *AIDS* **11**:389–91, 1997. (Medline: 97206903).
- [De Wolf (1994)] F. De Wolf, E. Hogervorst, J. Goudsmit, E. M. Fenyo, H. Rubsamen-Waigmann, H. Holmes, B. Galvao-Castro, C. W. E. Karita, & S. D. Sempala. Syncytium-inducing and non-syncytium-inducing capacity of human immunodeficiency virus type 1 subtypes other than B: phenotypic and genotypic characteristics. WHO Network for HIV Isolation and Characterization. *AIDS Res Hum Retroviruses* **10**:1387–1400, 1994. (Medline: 95194697).
- [Deacon (1995)] N. J. Deacon, A. Tsykin, A. Solomon, K. Smith, M. Ludford-Menting, D. J. Hooker, D. A. McPhee, A. L. Greenway, A. Ellett, & C. C. et al. Genomic structure of an attenuated quasi species of HIV-1 from a blood transfusion donor and recipients. *Science* **270**:988–991, 1995. (Medline: 96069819).
- [DeBry (1993)] R. W. DeBry, L. G. Abele, S. H. Weiss, M. D. Hill, M. Bouzas, E. Lorenzo, F. Graebnitz, & L. Resnick. Dental HIV transmission. *Nature* **361**:691, 1993. (Medline: 93180905).
- [Debyser (1998)] Z. Debyser, E. Van Wijngaerden, K. Van Laethem, K. Beuselinck, M. Reynders, E. De Clercq, J. Desmyter, & A. M. Vandamme. Failure to quantify viral load with two of the three commercial methods in a pregnant woman harboring an HIV type 1 subtype G strain. *AIDS Res Hum Retroviruses* **14**:453–9, 1998.
- [Delaporte (1996)] E. Delaporte, W. Janssens, M. Peeters, A. Buve, G. Dibanga, J. Perret, V. Ditsambou, M. G. Courbot, A. Georges, A. Bourgeois, B. Samb, D. Henzel, L. Heyndrickx, K. Franssen, G. V. der Groen, B. Larouz, & J. Mbet. Epidemiological and molecular characteristics of HIV infection in Gabon (1986 - 1994). *AIDS*. **10**:903–910, 1996.
- [Delwart (1995)] E. L. Delwart, M. P. Busch, M. L. Kalish, J. W. Mosley, & J. I. Mullins. Rapid molecular epidemiology of human immunodeficiency virus transmission. *AIDS Res. Hum. Retroviruses* **11**:1081–93, 1995. (Medline: 96089215).
- [Delwart (1998)] E. L. Delwart, J. I. Mullins, P. Gupta, G. H. Learn, M. Holodniy, D. Katzenstein, B. D. Walker, & M. K. Singh. Human immunodeficiency virus type 1 populations in blood and semen. *J Virol* **72**:617–23, 1998. (Medline: 98080455).
- [Delwart (1994)] E. L. Delwart, H. W. Sheppard, B. D. Walker, J. Goudsmit, & J. I. Mullins. Human immunodeficiency virus type 1 evolution in vivo tracked by DNA heteroduplex mobility assays. *J Virol* **68**:6672–6683, 1994. (Medline: 94365971), (Genbank: U00821 U00822 U00832 U00833 U00834 U00837 U00839 U13240 U13241 U13242 U13243 U13244 U13245 U13246 U13247 U13248 U13249 U13250 U13251 U13252 U13373 U13374 U13375 U13376 U13377 U13378 U13379 U13380 U13381 U13382).
- [Desai (1986)] S. M. Desai, V. S. Kalyanaraman, J. M. Casey, A. Srinivasan, P. R. Andersen, & S. G. Devare. Molecular cloning and primary nucleotide sequence analysis of a distinct human immunodeficiency virus isolate reveal significant divergence in its genomic sequences. *Proc Natl Acad Sci U S A* **83**:8380–4, 1986. (Medline: 87041461), (Genbank: M13136 M13137).
- [Desgranges (1996)] C. Desgranges, S. Fillon, G. Audoly, C. Neisson-Vernant, O. Bera, M. Ouka, R. Cesaire, L. Buzelay, & F. Barin. Presence of HIV-1 subtypes B and F and HTLV-I in HIV/HTLV coinfecting

- individuals of Martinique [letter]. *J Acquir Immune Defic Syndr Hum Retrovirol* **13**:468–70, 1996. (Medline: 97125400).
- [Diaz (1996)] R. S. Diaz, E. C. Sabino, A. Mayer, C. F. deOliveira, J. W. Mosley, & M. P. Busch. Lack of dual HIV infection in a transfusion recipient exposed to two seropositive blood components. *AIDS Res Hum Retroviruses* **12**:1291–5, 1996. (Medline: 97024623), (Genbank: U43986 U43987 U43988 U43989 U43990 U43991 U43992 U43993 U43994 U43995 U43996 U43997 U43998 U43999 U44000 U44001 U44002 U44003 U44004 U44005 U44006 U44007 U44008 U44009 U44010 U44011 U44012 U44013 U44014 U44015).
- [Diaz (1995)] R. S. Diaz, E. C. Sabino, A. Mayer, J. W. Mosley, & M. P. Busch. Dual human immunodeficiency virus type 1 infection and recombination in a dually exposed transfusion recipient. The Transfusion Safety Study Group. *J Virol* **69**:3273–3281, 1995. (Medline: 95264414), (Genbank: U11124 U11125 U11126 U11127 U11128 U11129 U11130 U11131 U11132 U11133 U11134 U11135 U11136 U11137 U11138 U11139 U11140 U11141 U11142 U11143 U11144 U11145 U11146 U11147 U11148 U11149 U11150 U11151 U11152 U11153).
- [Dietrich (1993)] U. Dietrich, M. Grez, H. von Briesen, B. Panhans, M. Geissendorfer, H. Kuhnel, J. Maniar, G. Mahambre, W. B. Becker, & M. L. B. et al. HIV-1 strains from India are highly divergent from prototypic African and US/European strains, but are linked to a South African isolate. *AIDS* **7**:23–7, 1993. (Medline: 93183429), (Genbank: X65638 X65639 X65640 X68406 X68407 X65638 X65639 X65640 X68406 X68407).
- [Dighe (1997)] P. K. Dighe, B. T. Korber, & B. T. Foley. Global Variation in the HIV-1 V3 Region. In *Human Retroviruses and AIDS 1997*, pages III 74–206, Los Alamos, NM. Los Alamos National Laboratory: Theoretical Biology and Biophysics, 1997.
- [Dittmar (1997)] M. T. Dittmar, G. Simmons, S. Hibbitts, M. O'Hare, S. Louisirirotchanakul, S. Beddows, J. Weber, P. R. Clapham, & R. A. Weiss. Langerhans cell tropism of human immunodeficiency virus type 1 subtype A through F isolates derived from different transmission groups. *J Virol* **71**:8008–13, 1997. (Medline: 97456582).
- [Douglas (1996)] N. Douglas, A. Knight, A. Hayhurst, W. Barrett, M. Kevany, & R. Daniels. An efficient method for the rescue and analysis of functional hiv-1 env genes: evidence for recombination in the vicinity of the tat/rev splice site. *AIDS* **10**:39–46, 1996.
- [Douglas (1997)] N. W. Douglas, G. H. Munro, & R. S. Daniels. HIV/SIV glycoproteins: structure-function relationships. *J Mol Biol* **273**:122–49, 1997. (Medline: 98035047).
- [Duensing (1995)] T. D. Duensing, H. Fang, D. W. Dorward, & S. H. Pincus. Processing of the envelope glycoprotein gp160 in immunotoxin-resistant cell lines chronically infected with human immunodeficiency virus type 1. *J Virol* **69**:7122–7131, 1995. (Medline: 96013815).
- [Dumitrescu (1994)] O. Dumitrescu, M. L. Kalish, S. C. Kliks, C. I. Bandea, & J. A. Levy. Characterization of human immunodeficiency virus type 1 isolates from children in Romania: identification of a new envelope subtype. *J Infect Dis* **169**:281–8, 1994. (Medline: 94149311).
- [Dwyer (1998)] D. E. Dwyer, B. L. Herring, Y. C. Ge, W. V. Bolton, R. B. Ellis-Pegler, M. Thomas, B. A. Schroeder, M. C. Crosson, A. L. Cunningham, J. I. Mullins, & N. K. Saksena. Human immunodeficiency virus type 1 subtypes B and C detected in New Zealand. *AIDS Res Hum Retroviruses* **14**:1105–8, 1998. (Medline: 98382254).
- [Ellenberger (1999)] D. L. Ellenberger, D. Pieniazek, J. Nkengasong, C. C. Luo, S. Devare, C. Maurice, M. Janini, A. Ramos, C. Fridlund, D. J. Hu, I. M. Coulibaly, E. Ekpini, S. Z. Wiktor, A. E. Greenberg, G. Schochetman, & M. A. Rayfield. Genetic analysis of human immunodeficiency virus in Abidjan, Ivory Coast reveals predominance of HIV type 1 subtype A and introduction of subtype G. *AIDS Res Hum Retroviruses* **15**:3–9, 1999. (Medline: 99146652).

- [Engelbrecht (1998)] S. Engelbrecht, I. Koulinska, T. L. Smith, J. Barreto, & E. J. van Rensburg. Variation in HIV type 1 V3 region env sequences from Mozambique. *AIDS Res Hum Retroviruses* **14**:803–5, 1998. (Medline: 98305533).
- [Engelbrecht (1995)] S. Engelbrecht, J. D. Laten, T. L. Smith, & R. van E. J. Identification of env subtypes in fourteen HIV type 1 isolates from south Africa. *AIDS Res Hum Retroviruses* **11**:1269–71, 1995. (Medline: 96157218), (Genbank: L47608 L48061 L48062 L48063 L48064 L48065 L48066 L48067 L48068 L48069 L48070 L48071 L48072 L48073 U33769 U33770 U33771 U33772 U33773 U33774 U33775 U33776 U33777 U33778 U33779 U33780 U33781 U33782).
- [Engelstad(1996)] M. Engelstad. Genetic diversity of env V3 loop sequences in HIV type 1-infected homosexual, heterosexuals, intravenous drug users, and hemophilia patients in Norway: high prevalence of subtype B and detection of subtype C. *AIDS Res Hum Retroviruses* **12**:1733–8, 1996. (Medline: 97118369), (Genbank: X92902 X92903 X92904 X92905 X92906 X92907 X92908 X92909 X92910 X92911 X92912 X92913 X92914 X92915 X92916 X92917 X92918 X92919 X92920 X92921 X92922 X92923 X92924 X92925 X92926 X92927 X92928 X92929 X92930 X92931).
- [Estable (1998)] M. C. Estable, A. Merzouki, M. Arella, & I. J. Sadowski. Distinct clustering of HIV type 1 sequences derived from injection versus noninjection drug users in Vancouver, Canada. *AIDS Res Hum Retroviruses* **14**:917–9, 1998. (Medline: 98334296).
- [Fernandez-Medina (1999)] D. Fernandez-Medina, M. Jansson, R. D. Rabinovich, O. Libonatti, & H. Wigzell. Identification of human immunodeficiency virus type 1 subtypes B and F B/F recombinant and dual infection with these subtypes in Argentina. *Scand J Infect Dis* **31**:235–42, 1999. (Medline: 99409776).
- [Fisher (1988)] A. G. Fisher, B. Ensoli, D. Looney, A. Rose, R. C. Gallo, M. S. Saag, G. M. Shaw, B. H. Hahn, & F. Wong-Staal. Biologically diverse molecular variants within a single HIV-1 isolate. *Nature* **334**:444–7, 1988. (Medline: 88302422).
- [Fitzgibbon (1993)] J. E. Fitzgibbon, S. Gaur, L. D. Frenkel, F. Laraque, B. R. Edlin, & D. T. Dubin. Transmission from one child to another of human immunodeficiency virus type 1 with a zidovudine-resistance mutation. *N Engl J Med* **329**:1835–41, 1993. (Medline: 94067210).
- [Flores (1999)] I. Flores, D. Pieniazek, N. Moran, A. Soler, N. Rodriguez, M. Alegria, M. Vera, L. M. Janini, C. I. Bandea, A. Ramos, M. Rayfield, & Y. Yamamura. HIV-1 subtype F in single and dual infections in Puerto Rico: A potential sentinel site for monitoring novel genetic HIV variants in North America [letter]. *Emerg Infect Dis* **5**:481–3, 1999. (Medline: 99276710).
- [Follis (1998)] K. E. Follis, M. Trahey, R. A. LaCasse, & J. H. Nunberg. Continued utilization of CCR5 coreceptor by a newly derived T-cell line- adapted isolate of human immunodeficiency virus type 1. *J Virol* **72**:7603–8, 1998. (Medline: 98362170).
- [for HIV Isolation (1994)] W. N. for HIV Isolation, Characterization., F. Gao, L. Yue, S. Craig, C. L. Thornton, D. L. Robertson, F. E. McCutchan, J. A. Bradac, P. M. Sharp, & B. H. Hahn. Genetic variation of HIV type 1 in four World Health Organization- sponsored vaccine evaluation sites: generation of functional envelope (glycoprotein 160) clones representative of sequence subtypes A, B, C, and E. *AIDS Res Hum Retroviruses* **10**:1359–1368, 1994. (Medline: 95194694), (Genbank: L34667 U08793 U08794 U08795 U08796 U08797 U08802 U08804 U08810 U09131).
- [Fouchier (1992)] R. A. Fouchier, M. Groenink, N. A. Kootstra, M. Tersmette, H. G. Huisman, F. Miedema, & H. Schuitemaker. Phenotype-associated sequence variation in the third variable domain of the human immunodeficiency virus type 1 gp120 molecule. *J Virol* **66**:3183–7, 1992. (Medline: 92219412).
- [Fredriksson (1991)] R. Fredriksson, P. Stalhanske, G. von A., B. Lind, P. Aman, E. Rassart, & E. M. Fenyo. Biological characterization of infectious molecular clones derived from a human immunodeficiency virus type-1 isolate with rapid/high replicative capacity. *Virology* **181**:55–61, 1991. (Medline: 91135020).

- [Frenkel (1998)] L. M. Frenkel, J. I. Mullins, G. H. Learn, L. Manns-Arcuino, B. L. Herring, M. L. Kalish, R. W. Steketee, D. M. Thea, J. E. Nichols, S. L. Liu, A. Harmache, X. He, D. Muthui, A. Madan, L. Hood, A. T. Haase, M. Zupancic, K. Staskus, S. Wolinsky, P. Krogstad, J. Zhao, I. Chen, R. Koup, D. Ho, N. J. Roberts, & et al. Genetic evaluation of suspected cases of transient HIV-1 infection of infants. *Science* **280**:1073–7, 1998. (Medline: 98248614).
- [Fultz(1997)] P. N. Fultz. HIV type 1 strains pathogenic for chimpanzees [letter]. *AIDS Res Hum Retroviruses* **13**:1261, 1997. (Medline: 97479761).
- [Fultz (1997)] P. N. Fultz, L. Yue, Q. Wei, & M. Girard. Human immunodeficiency virus type 1 intersubtype (B/E) recombination in a superinfected chimpanzee. *J Virol* **71**:7990–5, 1997. (Medline: 97456579).
- [Furuta (1994)] Y. Furuta, T. Bergstrom, G. Norkrans, & P. Horal. HIV type 1 V3 sequence diversity in contact-traced Swedish couples at the time of sexual transmission. *AIDS Res Hum Retroviruses* **10**:1187–1189, 1994. (Medline: 95127302), (Genbank: U10929 U10930 U10931 U10932 U10933 U10934 U10935 U10936 U10937 U10938 U10939 U10940 U10941 U10942 U10943 U10944 U10945 U10946 U10947 U10948 U10949 U10950).
- [Ganeshan (1997)] S. Ganeshan, R. E. Dickover, B. T. Korber, Y. J. Bryson, & S. M. Wolinsky. Human immunodeficiency virus type 1 genetic evolution in children with different rates of development of disease. *J Virol* **71**:663–77, 1997. (Medline: 97138372), (Genbank: U47950 U47951 U47952 U47953 U47954 U47955 U47956 U47957 U47958 U47959 U47960 U47961 U47962 U47963 U47964 U47965 U47966 U47967 U47968 U47969 U47970 U47971 U47972 U47973 U47974 U47975 U47976 U47977 U47978 U47979).
- [Gao (1996a)] F. Gao, S. G. Morrison, D. L. Robertson, C. L. Thornton, S. Craig, G. Karlsson, J. Sodroski, M. Morgado, B. Galvao-Castro, H. von Briesen, S. Beddows, J. Weber, P. M. Sharp, G. M. Shaw, & B. H. Hahn. Molecular cloning and analysis of functional envelope genes from human immunodeficiency virus type 1 sequence subtypes A through G.. *J. Virol.* **70**:1651–1657, 1996a. (Medline: 96190564), (Genbank: L34667 U02739 U04908 U08442 U08443 U08444 U08445 U08446 U08447 U08448 U08450 U08451 U08452 U08453 U08454 U08455 U08456 U08457 U08794 U08797 U08801 U09126 U09127 U09131 U27419 U27434 U27443 U43386).
- [Gao (1996b)] F. Gao, D. L. Robertson, S. G. S. G. Morrison, H. Hui, S. Craig, P. N. Fultz, J. Decker, M. Girard, G. M. Shaw, B. H. Hahn, & P. M. Sharp. The heterosexual HIV-1 epidemic in Thailand is caused by an intersubtype (A/E) recombinant of African origin. *J. Virology* **70**:7013–7029, 1996b.
- [Gao (1994a)] F. Gao, L. Yue, S. Craig, C. L. Thornton, D. L. Robertson, F. E. McCutchan, J. A. Bradac, P. M. Sharp, B. H. Hahn, & the WHO Network for HIV Isolation and Characterization. HIV type 1 variation in World Health Organization-sponsored vaccine evaluation sites: genetic screening, sequence analysis, and preliminary biological characterization of selected viral strains. *AIDS Res Hum Retroviruses* **10**:1327–1343, 1994a. (Medline: 95194691).
- [Gao (1994b)] F. Gao, L. Yue, S. C. Hill, D. L. Robertson, A. H. Graves, M. S. Saag, G. M. Shaw, P. M. Sharp, & B. H. Hahn. HIV-1 sequence subtype D in the United States. *AIDS Res Hum Retroviruses* **10**:625–627, 1994b. (Medline: 95000937), (Genbank: U08192 U08193).
- [Gehring (1997)] S. Gehring, S. Maayan, H. Ruppach, P. Balfe, J. Juraszczyk, I. Yust, N. Vardinon, A. Rimlawi, S. Polak, Z. Bentwich, H. Rubsamen-Waigmann, & U. Dietrich. Molecular epidemiology of HIV in Israel. *J Acquir Immune Defic Syndr Hum Retrovirol* **15**:296–303, 1997. (Medline: 97436616).
- [Ghosh (1993)] S. K. Ghosh, P. N. Fultz, E. Keddie, M. S. Saag, P. M. Sharp, B. H. Hahn, & G. M. Shaw. A molecular clone of HIV-1 tropic and cytopathic for human and chimpanzee lymphocytes. *Virology* **194**:858–64, 1993. (Medline: 93276579), (Genbank: L02317).
- [Gomez (1996)] C. E. Gomez, J. R. Fernandez, E. Iglesias, A. E. Lopez, L. Lobaina, E. Noa, H. Diaz, A. Herrera, F. Rolo, & C. A. Duarte. Complete DNA sequence of the gene encoding the external

- glycoprotein (gp120) from a Cuban HIV type 1 isolate. *AIDS Res. Hum. Retroviruses* **12**:553–555, 1996. (Medline: 96296968).
- [Goodenow (1989)] M. Goodenow, T. Huet, W. Saurin, S. Kwok, J. Sninsky, & S. Wain-Hobson. HIV-1 isolates are rapidly evolving quasispecies: evidence for viral mixtures and preferred nucleotide substitutions. *J Acquir Immune Defic Syndr* **2**:344–52, 1989. (Medline: 89328783).
- [Graf (1998)] M. Graf, Y. Shao, Q. Zhao, T. Seidl, J. Kostler, H. Wolf, & R. Wagner. Cloning and characterization of a virtually full-length HIV type 1 genome from a subtype B'-Thai strain representing the most prevalent B- clade isolate in China. *AIDS Res Hum Retroviruses* **14**:285–8, 1998. (Medline: 98150884).
- [Grez (1994)] M. Grez, U. Dietrich, P. Balfe, H. von Briesen, J. K. Maniar, G. Mahambre, E. L. Delwart, J. I. Mullins, & H. Rubsamen-Waigmann. Genetic analysis of human immunodeficiency virus type 1 and 2 (HIV-1 and HIV-2) mixed infections in India reveals a recent spread of HIV-1 and HIV-2 from a single ancestor for each of these viruses. *J Virol* **68**:2161–8, 1994. (Medline: 94187055).
- [Groenink (1992)] M. Groenink, A. C. Andeweg, R. A. Fouchier, S. Broersen, der van Jagt, H. Schuitemaker, G. de R. E., M. L. Bosch, H. G. Huisman, & M. Tersmette. Phenotype-associated env gene variation among eight related human immunodeficiency virus type 1 clones: evidence for in vivo recombination and determinants of cytotropism outside the V3 domain. *J Virol* **66**:6175–80, 1992. (Medline: 92408013).
- [Guillon (1995)] C. Guillon, F. Bedin, R. A. Fouchier, H. Schuitemaker, & R. A. Gruters. Completion of nucleotide sequences of non-syncytium-inducing and syncytium-inducing HIV type 1 variants isolated from the same patient. *AIDS Res Hum Retroviruses* **11**:1537–41, 1995. (Medline: 96288454), (Genbank: L06678 L06706 M64490 M64491 U34603 U34604).
- [Guo (1991)] H. G. Guo, J. C. Chermann, D. Waters, L. Hall, A. Louie, R. C. Gallo, H. Streicher, M. S. Reitz, M. Popovic, & W. Blattner. Sequence analysis of original HIV-1. *Nature* **349**:745–6, 1991. (Medline: 91156044), (Genbank: X57446 X57447 X57448 X57449 X57450 X57451 X57452 X57453 X57454 X57455).
- [Gurgo (1988)] C. Gurgo, H. G. Guo, G. Franchini, A. Aldovini, E. Collalti, K. Farrell, F. Wong-Staal, R. C. Gallo, & M. S. R. Jr. Envelope sequences of two new United States HIV-1 isolates. *Virology* **164**:531–6, 1988. (Medline: 88219542), (Genbank: M17449 M17450).
- [Gurtler (1994)] L. G. Gurtler, P. H. Hauser, J. Eberle, A. von Brunn, S. Knapp, L. Zekeng, J. M. Tsague, & L. Kaptue. A new subtype of human immunodeficiency virus type 1 (MVP-5180) from Cameroon. *J Virol* **68**:1581–5, 1994. (Medline: 94149848).
- [Hahn (1986)] B. H. Hahn, G. M. Shaw, M. E. Taylor, R. R. Redfield, P. D. Markham, S. Z. Salahuddin, F. Wong-Staal, R. C. Gallo, E. S. Parks, & W. P. Parks. Genetic variation in HTLV-III/LAV over time in patients with AIDS or at risk for AIDS. *Science* **232**:1548–53, 1986. (Medline: 86235450), (Genbank: M12507).
- [Halapi (1997)] E. Halapi, T. Leitner, M. Jansson, G. Scarlatti, P. Orlandi, A. Plebani, L. Romiti, J. Albert, H. Wigzell, & P. Rossi. Correlation between HIV sequence evolution, specific immune response and clinical outcome in vertically infected infants. *AIDS* **11**:1709–17, 1997. (Medline: 98048036).
- [Hattori (1991)] T. Hattori, K. Shiozaki, Y. Eda, S. Tokiyoshi, S. Matsushita, H. Inaba, M. Fujimaki, T. Meguro, K. Yamada, & M. H. et al. Characteristics of the principal neutralizing determinant of HIV-1 prevalent in Japan. *AIDS Res Hum Retroviruses* **7**:825–30, 1991. (Medline: 92075338), (Genbank: M81693 M81694 S70936).
- [Henikoff & Henikoff(1992)] S. Henikoff & J. G. Henikoff. Amino acid substitution matrices from protein blocks. *Proc Natl Acad Sci USA* **89**:10915–10919, 1992.
- [Henikoff & Henikoff(1993)] S. Henikoff & J. G. Henikoff. Performance evaluation of amino acid substitution matrices. *Proteins: Structure, Function and Genetics* **17**:49–61, 1993.

- [Heyndrickx (1996)] L. Heyndrickx, W. Janssens, M. Alary, K. Fransen, K. Vereecken, S. Coppens, B. Willems, N. Davo, A. Guedeme, E. Baganizi, J. Joly, & der Van Groen. Genetic variability of HIV type 1 in Benin. *AIDS Res Hum Retroviruses* **12**:1495–7, 1996. (Medline: 97048222), (Genbank: U61854 U61855 U61856 U61857 U61858 U61859 U61860 U61861 U61862 U61863 U61864 U61865 U61866 U61867 U61868 U61869 U61870 U61871 U61872 U61873 U61874).
- [Heyndrickx (1998)] L. Heyndrickx, W. Janssens, S. Coppens, K. Vereecken, B. Willems, K. Fransen, R. Colebunders, M. Vandebrauene, & G. van der Groen. HIV type 1 C2V3 env diversity among Belgian individuals. *AIDS Res Hum Retroviruses* **14**:1291–6, 1998. (Medline: 98435943).
- [Hillis & Huelsenbeck(1994)] D. M. Hillis & J. P. Huelsenbeck. Support for dental HIV transmission. *Nature* **369**:24–5, 1994. (Medline: 94217803), (Genbank: U06872 U06873 U06874 U06875 U06876 U06877 U06878 U06879 U06880 U06881 U06882 U06883 U06884 U06885 U06886 U06887 U06888 U06889 U06890 U06891 U06892 U06893 U06894 U06895 U06896 U06897 U06898 U06899 U06900 U06901).
- [Ho (1989)] D. D. Ho, H. S. Robin, M. Alam, B. J. Wallace, & Y. Mizrahi. Human immunodeficiency virus type 1 in a seronegative patient with visceral Kaposi's sarcoma and hypogammaglobulinemia. *American J of Med* **86**:349–51, 1989. (Medline: 89148307).
- [Hoelscher (1998)] M. Hoelscher, S. Hanker, F. Barin, R. Cheingsong-Popov, U. Dietrich, B. Jordan-Harder, D. Olaleye, E. Nagele, A. Markuzzi, D. Mwakagile, F. Minja, J. Weber, L. Gurtler, & F. Von Sonnenburg. HIV type 1 V3 serotyping of Tanzanian samples: probable reasons for mismatching with genetic subtyping. *AIDS Res Hum Retroviruses* **14**:139–49, 1998. (Medline: 98122756).
- [Hoelscher (1997)] M. Hoelscher, S. Hanker, F. Barin, & et al. Phenetic analysis versus serological subtyping. In *Workshop on HIV-1 subtypes: implications for epidemiology, pathogen icity, vaccines and diagnostics. Dar es Salaam, 25-27 June 1997*, Dar es Salaam, Tanzania. 1997.
- [Holm-Hansen (1995)] C. Holm-Hansen, D. Grothues, S. Rustad, B. Rosok, F. R. Pascu, & B. Asjo. Characterization of HIV type 1 from Romanian children: lack of correlation between V3 loop amino acid sequence and syncytium formation in MT-2 cells. *AIDS Res Hum Retroviruses* **11**:597–603, 1995. (Medline: 96093895), (Genbank: X77968 X77969 X77970 X77971 X77972 X77973 X77974 X77975 X77976 X77977 X77978 X77979 X77980 X77981 X77982 X77983 X77984 X77985 X77986 X77987).
- [Holmes (1992)] E. C. Holmes, L. Q. Zhang, P. Simmonds, C. A. Ludlam, & A. J. Brown. Convergent and divergent sequence evolution in the surface envelope glycoprotein of human immunodeficiency virus type 1 within a single infected patient. *Proc Natl Acad Sci U S A* **89**:4835–9, 1992. (Medline: 92279221), (Genbank: M84240 M84241 M84242 M84243 M84244 M84245 M84246 M84247 M84248 M84249 M84250 M84251 M84252 M84253 M84254 M84255 M84256 M84257 M84258 M84259 M84260 M84261 M84262 M84263 M84264 M84265 M84266 M84267 M84268 M84269).
- [Howard & Rasheed(1996)] T. M. Howard & S. Rasheed. Genomic structure and nucleotide sequence analysis of a new HIV type 1 subtype A strain from Nigeria. *AIDS Res. Hum. Retroviruses* **12**:1413–1425, 1996.
- [Huet (1989)] T. Huet, M. C. Dazza, F. Brun-Vezinet, G. E. Roelants, & S. Wain-Hobson. A highly defective HIV-1 strain isolated from a healthy Gabonese individual presenting an atypical western blot. *AIDS* **3**:707–15, 1989. (Medline: 90148544).
- [Hunt (1997)] J. C. Hunt, A. M. Golden, J. K. Lund, L. G. Gurtler, L. Zekeng, J. Obiang, L. Kaptue, H. Hampl, A. Vallari, & S. G. Devare. Envelope sequence variability and serologic characterization of HIV type 1 group O isolates from equatorial Guinea. *AIDS Res Hum Retroviruses* **13**:995–1005, 1997. (Medline: 97407537).
- [Hutto (1996)] C. Hutto, Y. Zhou, J. He, R. Geffin, M. Hill, W. Scott, & C. Wood. Longitudinal studies of viral sequence, viral phenotype, and immunologic parameters of human immunodeficiency virus

- type 1 infection in perinatally infected twins with discordant disease courses. *J. Virol.* **70**:3589–3598, 1996. (Medline: 96211491).
- [Hwang (1991)] S. S. Hwang, T. J. Boyle, H. K. Lyerly, & B. R. Cullen. Identification of the envelope V3 loop as the primary determinant of cell tropism in HIV-1. *Science* **253**:71–4, 1991. (Medline: 91289160).
- [Irwin (1997)] K. L. Irwin, C. P. Pau, D. Lupo, D. Pienazek, C. C. Luo, N. Olivo, M. Rayfield, D. J. Hu, J. T. Weber, R. A. Respass, R. Janssen, P. Minor, & J. Ernst. Presence of human immunodeficiency virus (HIV) type 1 subtype A infection in a New York community with high HIV prevalence: a sentinel site for monitoring HIV genetic diversity in North America. Centers for Disease Control and Prevention–Bronx Lebanon HIV Serosurvey Team. *J Infect Dis* **176**:1629–33, 1997. (Medline: 98055758).
- [Ishikawa (1996)] K. Ishikawa, W. Janssens, J. Brandful, L. Heyndrickx, Y. Takebe, W. Ampofo, T. Sata, S. Yamazaki, M. Osei-Kwasi, N. Yamamoto, Y. Koyanagi, der Van Groen, & T. Kurata. Genetic and phylogenetic analysis of HIV type 1 env subtypes in Ghana, west Africa. *AIDS Res Hum Retroviruses* **12**:1575–8, 1996. (Medline: 97068257), (Genbank: U67682 U67683 U67684 U67685 U67686 U67687 U67688 U67689 U67690 U67691 U67692 U67693 U67694 U67696 U67697 U67698 U67699 U67700).
- [Jaffe (1994)] H. W. Jaffe, J. M. McCurdy, M. L. Kalish, T. Liberti, G. Metellus, B. H. Bowman, S. B. Richards, A. R. Neasman, & J. J. Witte. Lack of HIV transmission in the practice of a dentist with AIDS. *Ann Intern Med* **121**:855–859, 1994. (Medline: 95069391).
- [Janini (1998)] L. M. Janini, A. Tanuri, M. Schechter, J. M. Peralta, A. C. Vicente, N. Dela Torre, N. J. Pieniazek, C. C. Luo, A. Ramos, V. Soriano, G. Schochetman, M. A. Rayfield, & D. Pieniazek. Horizontal and vertical transmission of human immunodeficiency virus type 1 dual infections caused by viruses of subtypes B and C. *J Infect Dis* **177**:227–31, 1998. (Medline: 98079004).
- [Janssens (1994a)] W. Janssens, L. Heyndrickx, de Van Peer, A. Bouckaert, K. Fransen, J. Motte, G. M. Gershy-Damet, M. Peeters, P. Piot, & G. van der Groen. Molecular phylogeny of part of the env gene of HIV-1 strains isolated in Cote d'Ivoire. *AIDS* **8**:21–6, 1994a. (Medline: 94280700).
- [Janssens (1994b)] W. Janssens, L. Heyndrickx, K. Fransen, J. Motte, M. Peeters, J. N. Nkengasong, P. M. Ndumbe, E. Delaporte, J. L. Perret, & C. A. et al. Genetic and phylogenetic analysis of env subtypes G and H in central Africa. *AIDS Res Hum Retroviruses* **10**:877–879, 1994b. (Medline: 95078007), (Genbank: U09664 U09665 U09666 U09667).
- [Janssens (1994c)] W. Janssens, L. Heyndrickx, K. Fransen, M. Temmerman, A. Leonaers, T. Ivens, J. Motte, P. Piot, & G. van der Groen. Genetic variability of HIV type 1 in Kenya. *AIDS Res Hum Retroviruses* **10**:1577–1579, 1994c. (Medline: 95194720), (Genbank: U12984 U12985 U12986 U12987 U12988 U12989 U12990 U12991 U12992 U12993 U12994 U12995 U12996 U12997 U12998 U12999 U13000 U13001 U13002 U13003 U13004 U13005 U13006).
- [Janssens (1994d)] W. Janssens, J. N. Nkengasong, L. Heyndrickx, K. Fransen, P. M. Ndumbe, E. Delaporte, M. Peeters, J. L. Perret, A. Ndoumou, & C. Atende. Further evidence of the presence of genetically aberrant HIV-1 strains in Cameroon and Gabon. *AIDS* **8**:1012–3, 1994d. (Medline: 95032906), (Genbank: X78476 X78477).
- [Jansson (1996)] M. Jansson, M. Popovic, A. Karlsson, F. Cocchi, P. Rossi, J. Albert, & H. Wigzell. Sensitivity to inhibition by beta-chemokines correlates with biological phenotypes of primary HIV-1 isolates. *Proc Natl Acad Sci U S A* **93**:15382–7, 1996. (Medline: 97140339), (Genbank: U76078 U76079 U76080 U76081 U76082 U76083 U76084 U76085 U76086 U76087).
- [Jr (1996)] G. H. L. Jr, B. T. Korber, B. Foley, B. H. Hahn, S. M. Wolinsky, & J. I. Mullins. Maintaining the integrity of human immunodeficiency virus sequence databases. *J Virol* **70**:5720–30, 1996. (Medline: 96357112).

- [Jubier-Maurin (1999)] V. Jubier-Maurin, S. Saragosti, J. L. Perret, E. Mpoudi, E. Esu-Williams, C. Mulanga, F. Liegeois, M. Ekwalanga, E. Delaporte, & M. Peeters. Genetic characterization of the nef gene from human immunodeficiency virus type 1 group M strains representing genetic subtypes A, B, C, E, F, G, and H. *AIDS Res Hum Retroviruses* **15**:23–32, 1999. (Medline: 99146654).
- [Kaleebu (1995)] P. Kaleebu, A. Bobkov, R. Cheingsong-Popov, P. Bieniasz, M. Garaev, & J. Weber. Identification of HIV-1 subtype G from Uganda. *AIDS Res Hum Retroviruses* **11**:657–659, 1995. (Medline: 96093903), (Genbank: U22010).
- [Kalish (1995)] M. L. Kalish, A. Baldwin, S. Raktham, C. Wasi, C. C. Luo, G. Schochetman, T. D. Mastro, N. Young, S. Vanichseni, & H. R. et al. The evolving molecular epidemiology of HIV-1 envelope subtypes in injecting drug users in Bangkok, Thailand: implications for HIV vaccine trials. *AIDS* **9**:851–857, 1995. (Medline: 96014957).
- [Kalish (1994)] M. L. Kalish, C. C. Luo, B. G. Weniger, K. Limpakarnjanarat, N. Young, C. Y. Ou, & G. Schochetman. Early HIV type 1 strains in Thailand were not responsible for the current epidemic. *AIDS Res Hum Retroviruses* **10**:1573–1575, 1994. (Medline: 95194719), (Genbank: L15724 L15728 L15730 L19237 L19238 L19239 L19571 L19579 L19634 U15576 U15577 U15578 U15579 U15580 U15581 U15582 U15583 U15584 U15585 U15586 U15587 U15588).
- [Kampinga (1997)] G. A. Kampinga, A. Simonon, de Van Perre, E. Karita, P. Msellati, & J. Goudsmit. Primary infections with HIV-1 of women and their offspring in Rwanda: findings of heterogeneity at seroconversion, coinfection, and recombinants of HIV-1 subtypes A and C. *Virology* **227**:63–76, 1997. (Medline: 97167518), (Genbank: Z47881 Z47882 Z47883 Z47884 Z47885 Z47886 Z47887 Z47888 Z47889 Z47890 Z47891 Z47951 Z47952 Z47953 Z47954 Z47955 Z47956 Z47957 Z47958 Z47959 Z47960 Z47961 Z47962 Z47963 Z47964 Z47965 Z75958 Z75959 Z75960 Z75961).
- [Kanki (1999)] P. J. Kanki, D. J. Hamel, J. L. Sankale, C. Hsieh, I. Thior, F. Barin, S. A. Woodcock, A. Gueye-Ndiaye, E. Zhang, M. Montano, T. Siby, R. Marlink, I. N. Doye, M. E. Essex, & S. M. Boup. Human immunodeficiency virus type 1 subtypes differ in disease progression. *J Infect Dis* **179**:68–73, 1999. (Medline: 99059853).
- [Karlsson (1999)] A. C. Karlsson, H. Gaines, M. Sallberg, S. Lindback, & A. Sonnerborg. Reappearance of founder virus sequence in human immunodeficiency virus type 1-infected patients. *J Virol* **73**:6191–6, 1999. (Medline: 99292926).
- [Kasper (1994)] P. Kasper, R. Kaiser, J. Oldenburg, H. H. Brackmann, B. Matz, & K. E. Schneeweis. Parallel evolution in the V3 region of HIV type 1 after infection of hemophiliacs from a homogeneous source. *AIDS Res Hum Retroviruses* **10**:1669–1678, 1994. (Medline: 95194733).
- [Kato (1999)] K. Kato, T. Shiino, S. Kusagawa, H. Sato, K. Nohtomi, K. Shibamura, T. H. Nguyen, K. C. Pham, X. L. Truong, H. A. Mai, T. L. Hoang, G. Bunyaraksyotin, Y. Fukushima, M. Honda, C. Wasi, S. Yamazaki, Y. Nagai, & Y. Takebe. Genetic similarity of HIV type 1 subtype E in a recent outbreak among injecting drug users in northern Vietnam to strains in Guangxi Province of southern China. *AIDS Res Hum Retroviruses* **15**:1157–68, 1999. (Medline: 99408506).
- [Keys (1993)] B. Keys, J. Karis, B. Fadeel, A. Valentin, G. Norkrans, L. Hagberg, & F. Chiodi. V3 sequences of paired HIV-1 isolates from blood and cerebrospinal fluid cluster according to host and show variation related to the clinical stage of disease. *Virology* **196**:475–83, 1993. (Medline: 93383372), (Genbank: Z23177 Z23178 Z23179 Z23180 Z23181 Z23182 Z23183 Z23184 Z23185 Z23186 Z23187 Z23188 Z23190 Z23191 Z23192 Z23193 Z23194 Z23195 Z23196 Z23197 Z23198 Z23199 Z23200 Z23201 Z23202 Z23203 Z23204 Z23205 Z23206 Z23207).
- [Kim (1995)] F. M. Kim, D. L. Kolson, J. W. Balliet, A. Srinivasan, & R. G. Collman. V3-independent determinants of macrophage tropism in a primary human immunodeficiency virus type 1 isolate. *J Virol* **69**:1755–1761, 1995. (Medline: 95156606).

- [Kim (1999)] Y. B. Kim, Y. K. Cho, H. J. Lee, C. K. Kim, Y. K. Kim, & J. M. Yang. Molecular phylogenetic analysis of human immunodeficiency virus type 1 strains obtained from Korean patients: env gene sequences. *AIDS Res Hum Retroviruses* **15**:303–7, 1999. (Medline: 99160127).
- [Kitsutani (1998)] P. T. Kitsutani, S. Naganawa, T. Shiino, M. Matsuda, M. Honda, K. Yamada, M. Taki, & W. Sugiura. HIV type 1 subtypes of nonhemophiliac patients in Japan. *AIDS Res Hum Retroviruses* **14**:1099–103, 1998. (Medline: 98382253).
- [Klasse (1996)] P. J. Klasse, M. T. Boyd, R. A. Weiss, & T. F. Schulz. Mutations in the vpu, env and nef genes of a syncytium-inducing variant of HIV type 1 JR-CSF that infects a range of T-cell lines. *AIDS Res. Hum. Retroviruses* **12**:347–350, 1996.
- [Komiya (1989)] N. Komiya, N. Hattori, J. Inoue, S. Sakuma, T. Kurimura, & M. Yoshida. Nucleotide sequences of gag and env genes of a Japanese isolate of HIV-1 and their expression in bacteria. *AIDS Res Hum Retroviruses* **5**:411–9, 1989. (Medline: 89352108).
- [Korber & Myers (1992)] B. Korber & G. Myers. Signature pattern analysis: a method for assessing viral sequence relatedness. *AIDS Res Hum Retroviruses* **8**:1549–60, 1992. (Medline: 93090472), (Genbank: M90847 M90848 M90849 M90850 M90851 M90852 M90853 M90854 M90855 M90856 M90857 M90858 M90859 M90860 M90861 M90862 M90863 M90864 M90865 M90866 M90867 M90868 M90869 M90870 M90871 M90872 M90873 M90874 M90875 M90876).
- [Korber (1994a)] B. T. Korber, K. J. Kunstman, B. K. Patterson, M. Furtado, M. M. McEvilly, R. Levy, & S. M. Wolinsky. Genetic differences between blood- and brain-derived viral sequences from human immunodeficiency virus type 1-infected patients: evidence of conserved elements in the V3 region of the envelope protein of brain-derived sequences. *J Virol* **68**:7467–7481, 1994a. (Medline: 95018660), (Genbank: U05360 U05361 U05362 U05363 U05364 U05365 U05366 U05367 U05368 U05369 U05370 U05371 U05372 U05373 U05374 U05375 U05376 U05377 U05378 U05379 U05380 U05381 U05382 U05383 U05384 U05385 U05386 U05387 U05388 U05389).
- [Korber (1995)] B. T. Korber, G. Learn, J. I. Mullins, B. H. Hahn, & S. Wolinsky. Protecting HIV databases. *Nature* **378**:242–244, 1995. (Medline: 96069755).
- [Korber (1994b)] B. T. M. Korber, K. MacInnes, R. Smith, & G. Myers. Mutational trends in V3 loop protein sequences observed in different genetic lineages of human immunodeficiency virus type-1. *J Virol* **68**:6730–6744, 1994b.
- [Kostrikis (1995)] L. G. Kostrikis, E. Bagdades, Y. Cao, L. Zhang, D. Dimitriou, & D. D. Ho. Genetic analysis of human immunodeficiency virus type 1 strains from patients in Cyprus: identification of a new subtype designated subtype I. *J Virol* **69**:6122–6130, 1995. (Medline: 95395946), (Genbank: L19573 L19576 L22084 L22954 L22955 M15896 M38428 M66533 U28321 U28661 U28662 U28663 U28664 U28665 U28666 U28667 U28668 U28669 U28670 U28671 U28672 U28673 U28674 U28675 U28676 U28677 U28678 U28679 U28680 U28719).
- [Koyanagi (1987)] Y. Koyanagi, S. Miles, R. T. Mitsuyasu, J. E. Merrill, H. V. Vinters, & I. S. Chen. Dual infection of the central nervous system by AIDS viruses with distinct cellular tropisms. *Science* **236**:819–22, 1987. (Medline: 87206194).
- [Kreutz (1992)] R. Kreutz, U. Dietrich, H. Kuhnel, K. Nieselt-Struwe, M. Eigen, & H. Rubsamen-Waigmann. Analysis of the envelope region of the highly divergent HIV-2ALT isolate extends the known range of variability within the primate immunodeficiency viruses. *AIDS Res Hum Retroviruses* **8**:1619–29, 1992. (Medline: 93090480), (Genbank: X61240 X61240).
- [Kuiken (1996a)] C. Kuiken, V. Lukashov, E. Baan, J. dekker, J. Leunissen, & J. Goudsmit. Evidence for limited intra-subject evolution of the v3 domain of the hiv-1 envelope in the amsterdam population. *AIDS*. **10**(1):31–37, 1996a.
- [Kuiken (1996b)] C. L. Kuiken, M. T. Cornelissen, F. Zorgdrager, S. Hartman, A. J. Gibbs, & J. Goudsmit. Consistent risk group-associated differences in human immunodeficiency virus type 1 vpr, vpu and V3

- sequences despite independent evolution. *J. Gen. Virol.* **77**:783–792, 1996b. (Medline: 96203966), (Genbank: Z29280 Z29296 Z29298 Z29299 Z29302 Z29303 Z29304 Z29306 Z29307 Z29310 Z29311 Z29312 Z29315 Z29319 Z29320 Z29321 Z29322 Z29323 Z29324 Z68033 Z68047 Z68062 Z68070 Z68074 Z68086 Z68508 Z68509 Z68510 Z68511 Z68512).
- [Kuiken (1995)] C. L. Kuiken, J. Goudsmit, G. F. Weiller, J. S. Armstrong, S. Hartman, P. Portegies, J. Dekker, & M. Cornelissen. Differences in human immunodeficiency virus type 1 V3 sequences from patients with and without AIDS dementia complex. *J Gen Virol* **76**:175–180, 1995. (Medline: 95146947), (Genbank: Z37734 Z37735 Z37736 Z37737 Z37738 Z37739 Z37740 Z37741 Z37742 Z37743 Z37744 Z37745 Z37746 Z37747 Z37748 Z37749 Z37750 Z37751 Z37752 Z37753 Z37754 Z37755 Z37756 Z37757 Z37758 Z37759 Z37760 Z37761 Z37762 Z37763).
- [Kuiken (1993)] C. L. Kuiken, G. Zwart, E. Baan, R. A. Coutinho, J. A. van den Hoek, & J. Goudsmit. Increasing antigenic and genetic diversity of the V3 variable domain of the human immunodeficiency virus envelope protein in the course of the AIDS epidemic. *Proc Natl Acad Sci U S A* **90**:9061–5, 1993. (Medline: 94022315).
- [Kusagawa (1999)] S. Kusagawa, H. Sato, K. Kato, K. Nohtomi, T. Shiino, C. Samrith, H. B. Leng, T. Phalla, M. B. Heng, & Y. Takebe. HIV type 1 env subtype E in Cambodia. *AIDS Res Hum Retroviruses* **15**:91–4, 1999. (Medline: 99146664).
- [Kusumi (1992)] K. Kusumi, B. Conway, S. Cunningham, A. Berson, C. Evans, A. K. Iversen, D. Colvin, M. V. Gallo, S. Coutre, & E. G. S. et al. Human immunodeficiency virus type 1 envelope gene structure and diversity in vivo and after cocultivation in vitro. *J Virol* **66**:875–85, 1992. (Medline: 92114191), (Genbank: M79342 M79343 M79344 M79345 M79346 M79347 M79348 M79349 M79350 M79351 M79352 M79353 M79354).
- [LaCasse (1998)] R. A. LaCasse, K. E. Follis, T. Moudgil, M. Trahey, J. M. Binley, V. Planelles, S. Zolla-Pazner, & J. H. Nunberg. Coreceptor utilization by human immunodeficiency virus type 1 is not a primary determinant of neutralization sensitivity. *J Virol* **72**:2491–5, 1998. (Medline: 98139151).
- [Lasky (1997)] M. Lasky, J. L. Perret, M. Peeters, F. Bibollet-Ruche, F. Liegeois, D. Patrel, S. Molinier, C. Gras, & E. Delaporte. Presence of multiple non-B subtypes and divergent subtype B strains of HIV-1 in individuals infected after overseas deployment. *AIDS* **11**:43–51, 1997. (Medline: 97264202).
- [Laukkanen (1999)] T. Laukkanen, J. Albert, K. Liitsola, S. D. Green, J. K. Carr, T. Leitner, F. E. McCutchan, & M. O. Salminen. Virtually full-length sequences of HIV type 1 subtype J reference strains. *AIDS Res Hum Retroviruses* **15**:293–7, 1999. (Medline: 99160125).
- [Lee (1998)] C. N. Lee, M. Y. Chen, H. S. Lin, M. C. Lee, C. C. Luo, S. J. Twu, R. Y. Lin, & C. Y. Chuang. HIV type 1 env subtype A variants in Taiwan. *AIDS Res Hum Retroviruses* **14**:807–9, 1998. (Medline: 98305534).
- [Leigh Brown & Cleland(1996)] A. J. Leigh Brown & A. Cleland. Independent evolution of the env and pol genes of HIV-1 during zidovudine therapy. *AIDS* **10**:1067–73, 1996. (Medline: 97028609), (Genbank: U58119 U58393 U58394 U58395 U58396 U58397 U58398 U58399 U58400 U58401 U58402 U58403 U58404 U58405 U58406 U58407 U58408 U58409 U58410 U58411 U58412 U58413 U58414 U58415 U58416 U58417 U58418 U58420 U58421 U58422).
- [Leigh Brown (1997)] A. J. Leigh Brown, D. Lobidel, C. M. Wade, S. Rebus, A. N. Phillips, R. P. Brettle, A. J. France, C. S. Leen, J. McMenamin, A. McMillan, R. D. Maw, F. Mulcahy, J. R. Robertson, K. N. Sankar, G. Scott, R. Wyld, & J. F. Peutherer. The molecular epidemiology of human immunodeficiency virus type 1 in six cities in Britain and Ireland. *Virology* **235**:166–77, 1997. (Medline: 97445059).
- [Leitner (1995)] T. Leitner, A. Alaeus, S. Marquina, E. Lilja, K. Lidman, & J. Albert. Yet another subtype of HIV type 1. *AIDS Res Hum Retroviruses* **11**:995–997, 1995. (Medline: 96020102), (Genbank: L41176 L41177 L41178 L41179).

- [Leitner (1996a)] T. Leitner, D. Escanilla, C. Franzen, M. Uhlen, & J. Albert. Accurate reconstruction of a known HIV-1 transmission history by phylogenetic tree analysis. *Proc. Natl. Acad. Sci. U.S.A.* **20**:10864–10869, 1996a.
- [Leitner (1995)] T. Leitner, D. Escanilla, S. Marquina, J. Wahlberg, C. Brostrom, H. B. Hansson, M. Uhlen, & J. Albert. Biological and molecular characterization of subtype D, G, and A/D recombinant HIV-1 transmissions in Sweden. *Virology* **209**:136–46, 1995. (Medline: 95266300).
- [Leitner (1996b)] T. Leitner, G. Korovina, S. Marquina, T. Smolskaya, & J. Albert. Molecular epidemiology and MT-2 cell tropism of Russian HIV type 1 variant. *AIDS Res Hum Retroviruses* **12**:1595–603, 1996b. (Medline: 97102922), (Genbank: U69646 U69647 U69648 U69649 U69650 U69651 U69652 U69653 U69654 U69655 U69656 U69657 U69658 U69659 U69660 U69661 U69662 U69663 U69664 U69665 U69667).
- [Lepage (1996)] P. Lepage, P. Msellati, D. G. Hitimana, A. Bazubagira, G. V. C., A. Simonon, E. Karita, L. Dequae-Merchadou, de Van Perre, & F. Dabis. Growth of human immunodeficiency type 1-infected and uninfected children: a prospective cohort study in Kigali, Rwanda, 1988 to 1993. *Pediatr Infect Dis J* **15**:479–85, 1996. (Medline: 96377503).
- [Levy (1984)] J. A. Levy, A. D. Hoffman, S. M. Kramer, J. A. Landis, J. M. Shimabukuro, & L. S. Oshiro. Isolation of lymphocytopathic retroviruses from San Francisco patients with AIDS. *Science* **225**:840–2, 1984. (Medline: 84300260).
- [Lewis (1998)] J. Lewis, P. Balfe, C. Arnold, S. Kaye, R. S. Tedder, & J. A. McKeating. Development of a neutralizing antibody response during acute primary human immunodeficiency virus type 1 infection and the emergence of antigenic variants. *J Virol* **72**:8943–51, 1998. (Medline: 98440558).
- [Li (1992)] Y. Li, H. Hui, C. J. Burgess, R. W. Price, P. M. Sharp, B. H. Hahn, & G. M. Shaw. Complete nucleotide sequence, genome organization, and biological properties of human immunodeficiency virus type 1 in vivo: evidence for limited defectiveness and complementation. *J Virol* **66**:6587–600, 1992. (Medline: 93021387), (Genbank: M93258 M93259).
- [Li (1991)] Y. Li, J. C. Kappes, J. A. Conway, R. W. Price, G. M. Shaw, & B. H. Hahn. Molecular characterization of human immunodeficiency virus type 1 cloned directly from uncultured human brain tissue: identification of replication-competent and -defective viral genomes. *J Virol* **65**:3973–85, 1991. (Medline: 91303644).
- [Liitsola (1998)] K. Liitsola, I. Tashkinova, T. Laukkanen, G. Korovina, T. Smolskaja, O. Momot, N. Mashkilleysen, S. Chaplinskias, H. Brummer-Korvenkontio, J. Vanhatalo, P. Leinikki, & M. O. Salminen. HIV-1 genetic subtype A/B recombinant strain causing an explosive epidemic in injecting drug users in Kaliningrad. *AIDS* **12**:1907–19, 1998. (Medline: 99006878).
- [Liu (1997)] S. L. Liu, T. Schacker, L. Musey, D. Shriner, M. J. McElrath, L. Corey, & J. I. Mullins. Divergent patterns of progression to AIDS after infection from the same source: human immunodeficiency virus type 1 evolution and antiviral responses. *J Virol* **71**:4284–95, 1997. (Medline: 97296232), (Genbank: U56146 U56147 U56148 U56149 U56150 U56151 U56152 U56153 U56154 U56155 U56156 U56157 U56158 U56159 U56160 U56161 U56162 U56163 U56164 U56165 U56166 U56167 U56168 U56169 U56170 U56171 U56172 U56173 U56174 U56175).
- [Liu (1990)] Z. Q. Liu, C. Wood, J. A. Levy, & C. Cheng-Mayer. The viral envelope gene is involved in macrophage tropism of a human immunodeficiency virus type 1 strain isolated from brain tissue. *J Virol* **64**:6148–53, 1990. (Medline: 91056585), (Genbank: M38673 M38673).
- [Lockey (1996)] T. D. Lockey, K. S. Slobod, S. D. Rencher, R. V. Srinivas, & J. L. Hurwitz. Fluctuating diversity in the HTLV-IIIb virus stock: implications for neutralization and challenge experiments. *AIDS Res Hum Retroviruses* **12**:1297–9, 1996. (Medline: 97024624), (Genbank: U54646 U54647 U54648 U54649 U54650 U54651 U54652 U54653 U54654 U54655 U54656 U54657 U54658 U54659 U54660 U54661 U54662 U54663 U54664 U54665 U54666 U54667 U54668 U54669 U54670 U54671 U54672 U54673 U54674 U54675).

- [Lole (1999)] K. S. Lole, R. C. Bollinger, R. S. Paranjape, D. Gadkari, S. S. Kulkarni, N. G. Novak, R. Ingersoll, H. W. Sheppard, & S. C. Ray. Full-length human immunodeficiency virus type 1 genomes from subtype C- infected seroconverters in India, with evidence of intersubtype recombination. *J Virol* **73**:152–60, 1999. (Medline: 99102570).
- [Lorenzo (1996)] E. Lorenzo, R. J. Herrera, S. Lai, M. A. Fischl, & M. D. Hill. The Tat and C2-V3 envelope genes in the molecular epidemiology of human immunodeficiency virus-1. *Virology* **221**:310–7, 1996. (Medline: 96295430).
- [Louisirirochanakul (1997)] S. Louisirirochanakul, A. Bobkov, N. Shaffer, T. D. Mastro, C. Wasi, J. Weber, & R. Cheingsong-Popov. Sequence analysis of an HIV type 1 env subtype E isolate from Thailand with discordant V3-loop serotyping. *AIDS Res Hum Retroviruses* **13**:807–9, 1997. (Medline: 97315052), (Genbank: U96782 U96783).
- [Loussert-Ajaka (1995)] I. Loussert-Ajaka, M. L. Chaix, B. Korber, F. Letourneur, E. Gomas, E. Allen, T. D. Ly, F. Brun-Vezinet, F. Simon, & S. Saragosti. Variability of human immunodeficiency virus type 1 group O strains isolated from Cameroonian patients living in France. *J Virol* **69**:5640–5649, 1995. (Medline: 95363977), (Genbank: U24562 U24563 U24564 U24565 U24566 U24567 U24568 U24706 U24707 U24708 U24709 U24710 U24711 U24712).
- [Loussert-Ajaka (1998)] I. Loussert-Ajaka, E. Menu, C. Apetrei, M. Peeters, F. Damond, P. Maucleere, J. Eberle, C. Brengues, S. Saragosti, F. Barre-Sinoussi, F. Brun-Vezinet, & F. Simon. HIV type 1 diversity and the reliability of the heteroduplex mobility assay. *AIDS Res Hum Retroviruses* **14**:877–83, 1998. (Medline: 98334291).
- [Louwagie (1994)] J. Louwagie, E. L. Delwart, J. I. Mullins, F. E. McCutchan, G. Eddy, & D. S. Burke. Genetic analysis of HIV-1 isolates from Brazil reveals presence of two distinct genetic subtypes. *AIDS Res Hum Retroviruses* **10**:561–567, 1994. (Medline: 95000928), (Genbank: L11751 L11752 L11753 L11754 L22082 L22083 L22084 L22085 L22086 L22087 L22088).
- [Louwagie (1995)] J. Louwagie, W. Janssens, J. Mascola, L. Heyndrickx, P. Hegerich, der van Groen, F. E. McCutchan, & D. S. Burke. Genetic diversity of the envelope glycoprotein from human immunodeficiency virus type 1 isolates of African origin. *J Virol* **69**:263–271, 1995. (Medline: 95074874), (Genbank: L22939 L22957 L23064 L23065).
- [Louwagie (1993)] J. Louwagie, F. E. McCutchan, M. Peeters, T. P. Brennan, E. Sanders-Buell, G. A. Eddy, G. van der Groen, K. Fransen, G. M. Gershy-Damet, & R. D. et al. Phylogenetic analysis of gag genes from 70 international HIV-1 isolates provides evidence for multiple genotypes. *AIDS* **7**:769–80, 1993. (Medline: 93371703), (Genbank: L03696 L03702 L03705 L03707 L11751 L11752 L11753 L11754 L11755 L11756 L11757 L11758 L11759 L11760 L11761 L11762 L11763 L11764 L11765 L11766 L11767 L11768 L11769 L11770 L11771 L11772 L11773 L11774 L11775 L11776).
- [Ludlam (1985)] C. A. Ludlam, J. Tucker, C. M. Steel, R. S. Tedder, R. Cheingsong-Popov, R. A. Weiss, D. B. McClelland, I. Philp, & R. J. Prescott. Human T-lymphotropic virus type III (HTLV-III) infection in seronegative haemophiliacs after transfusion of factor VIII. *Lancet* **2**:233–6, 1985. (Medline: 85266713).
- [Lukashov (1996)] V. Lukashov, C. Kuiken, K. Boer, & J. Goudsmit. Hiv type 1 subtypes in the netherlands circulating among women originating from aids-endemic regions. *AIDS Res. Hum. Retroviruses* **12**:951–953, 1996.
- [Lukashov (1995)] V. V. Lukashov, M. T. Cornelissen, J. Goudsmit, M. N. Papuashvilli, P. G. Rytik, R. M. Khaitov, E. V. Karamov, & W. de F. Simultaneous introduction of distinct HIV-1 subtypes into different risk groups in Russia, Byelorussia and Lithuania. *AIDS* **9**:435–439, 1995. (Medline: 95367213).
- [Lukashov & Goudsmit(1995)] V. V. Lukashov & J. Goudsmit. Increasing genotypic and phenotypic selection from the original genomic RNA populations of HIV-1 strains LAI and MN (NM) by peripheral

- blood mononuclear cell culture, B-cell-line propagation and T-cell-line adaptation. *AIDS* **9**:1307–1311, 1995. (Medline: 96188304).
- [Lukashov (1998a)] V. V. Lukashov, E. V. Karamov, V. F. Eremin, L. P. Titov, & J. Goudsmit. Extreme founder effect in an HIV type 1 subtype A epidemic among drug users in Svetlogorsk, Belarus. *AIDS Res Hum Retroviruses* **14**:1299–303, 1998a. (Medline: 98435945).
- [Lukashov (1998b)] V. V. Lukashov, E. L. Op de Coul, R. A. Coutinho, & J. Goudsmit. HIV-1 strains specific for Dutch injecting drug users in heterosexually infected individuals in The Netherlands. *AIDS* **12**:635–41, 1998b. (Medline: 98242906).
- [Maitra (1999)] A. Maitra, B. Singh, S. Banu, A. Deshpande, K. Robbins, M. L. Kalish, S. Broor, & P. Seth. Subtypes of HIV type 1 circulating in India: partial envelope sequences. *AIDS Res Hum Retroviruses* **15**:941–4, 1999. (Medline: 99335216).
- [Markham (1998)] R. B. Markham, W. C. Wang, A. E. Weisstein, Z. Wang, A. Munoz, A. Templeton, J. Margolick, D. Vlahov, T. Quinn, H. Farzadegan, & X. F. Yu. Patterns of HIV-1 evolution in individuals with differing rates of CD4 T cell decline. *Proc Natl Acad Sci U S A* **95**:12568–73, 1998. (Medline: 98445411).
- [Marquina (1996)] S. Marquina, T. Leitner, R. D. Rabinovich, J. Benetucci, O. Libonatti, & J. Albert. Co-existence of subtypes B, F and a B/F env recombinant of HIV-1 in Buenos Aires, Argentina. *AIDS Res. Hum. Retroviruses* **12**:1651–1654, 1996.
- [Mas (1999)] A. Mas, M. E. Quinones-Mateu, E. Domingo, & V. Soriano. Phylogeny of HIV type 1 group O isolates based on env gene sequences. *AIDS Res Hum Retroviruses* **15**:769–73, 1999. (Medline: 99284364).
- [Mascola (1994)] J. R. Mascola, J. Louwagie, F. E. McCutchan, C. L. Fischer, P. A. Hegerich, K. F. Wagner, A. K. Fowler, J. G. McNeil, & D. S. Burke. Two antigenically distinct subtypes of human immunodeficiency virus type 1: viral genotype predicts neutralization serotype. *J Infect Dis* **169**:48–54, 1994. (Medline: 94103665), (Genbank: L14570 L14571 L14572 L14573 L14574 L14575 L14576).
- [Mboudjeka (1999)] I. Mboudjeka, L. Zekeng, J. Takehisa, T. Miura, E. Ido, M. Yamashita, L. Kaptue, & M. Hayami. HIV type 1 genetic variability in the northern part of Cameroon. *AIDS Res Hum Retroviruses* **15**:951–6, 1999. (Medline: 99372978).
- [McCutchan (1996a)] F. E. McCutchan, A. W. Artenstein, E. Sanders-Buell, M. O. Salminen, J. K. Carr, J. R. Mascola, X. F. Yu, K. E. Nelson, C. Khamboonruang, D. Schmitt, M. P. Kieny, J. G. McNeil, & D. S. Burke. Diversity of the envelope glycoprotein among human immunodeficiency virus type 1 isolates of clade E from Asia and Africa. *J. Virol.* **70**:3331–3338, 1996a. (Medline: 96211461), (Genbank: U48264 U48265 U48266 U48267 U48268 U48269 U48272 U48723 U48724 U48725 U48726 U48727 U48728).
- [McCutchan (1999)] F. E. McCutchan, J. K. Carr, M. Bajani, E. Sanders-Buell, T. O. Harry, T. C. Stoeckli, K. E. Robbins, W. Gashau, A. Nasidi, W. Janssens, & M. L. Kalish. Subtype G and multiple forms of A/G intersubtype recombinant human immunodeficiency virus type 1 in Nigeria. *Virology* **254**:226–34, 1999. (Medline: 99143337).
- [McCutchan (1992)] F. E. McCutchan, P. A. Hegerich, T. P. Brennan, P. Phanuphak, P. Singharaj, A. Jugudee, P. W. Berman, A. M. Gray, A. K. Fowler, & D. S. Burke. Genetic variants of HIV-1 in Thailand. *AIDS Res Hum Retroviruses* **8**:1887–95, 1992. (Medline: 93143998).
- [McCutchan (1996b)] F. E. McCutchan, M. O. Salminen, J. K. Carr, & D. S. Burke. HIV-1 genetic diversity. *AIDS* **10**:S13–S20, 1996b.
- [McCutchan (1998)] F. E. McCutchan, E. Sanders-Buell, M. O. Salminen, J. K. Carr, & W. H. Sheppard. Diversity of the human immunodeficiency virus type 1 envelope glycoprotein in San Francisco Men's Health Study participants. *AIDS Res Hum Retroviruses* **14**:329–37, 1998. (Medline: 98178716).

- [McDonald (1997)] R. A. McDonald, D. L. Mayers, R. C. Chung, K. F. Wagner, S. Ratto-Kim, D. L. Birx, & N. L. Michael. Evolution of human immunodeficiency virus type 1 env sequence variation in patients with diverse rates of disease progression and T-cell function. *J Virol* **71**:1871–9, 1997. (Medline: 97184515), (Genbank: U69282 U69283 U69284 U69285 U69286 U69287 U69288 U69289 U69290 U69291 U69292 U69293 U69294 U69295 U69296 U69297 U69298 U69299 U69300 U69301 U69302 U69303 U69304 U69305 U69306 U69307 U69308 U69309 U69310 U69311).
- [McKeating (1996)] J. A. McKeating, Y. J. Zhang, C. Arnold, R. Frederiksson, E. M. Fenyo, & P. Balfe. Chimeric viruses expressing primary envelope glycoproteins of human immunodeficiency virus type I show increased sensitivity to neutralization by human sera. *Virology* **220**:450–460, 1996. (Medline: 96251941), (Genbank: U57788 U57789 U57790 U57791 U57792 U57793 U57794).
- [McNearney (1993)] T. McNearney, Z. Hornickova, B. Kloster, A. Birdwell, G. A. Storch, S. H. Polmar, M. Arens, & L. Ratner. Evolution of sequence divergence among human immunodeficiency virus type 1 isolates derived from a blood donor and a recipient. *Pediatr Res* **33**:36–42, 1993. (Medline: 93165379).
- [McNearney (1992)] T. McNearney, Z. Hornickova, R. Markham, A. Birdwell, M. Arens, A. Saah, & L. Ratner. Relationship of human immunodeficiency virus type 1 sequence heterogeneity to stage of disease. *Proc Natl Acad Sci U S A* **89**:10247–51, 1992. (Medline: 93066216).
- [McNearney (1990)] T. McNearney, P. Westervelt, B. J. Thielan, D. B. Trowbridge, J. Garcia, R. Whittier, & L. Ratner. Limited sequence heterogeneity among biologically distinct human immunodeficiency virus type 1 isolates from individuals involved in a clustered infectious outbreak. *Proc Natl Acad Sci U S A* **87**:1917–21, 1990. (Medline: 90175407), (Genbank: M31451).
- [Menu (1999)] E. Menu, J. M. Reynes, M. C. Muller-Trutwin, L. Guillemot, P. Versmisse, M. Chiron, S. An, V. Trouplin, P. Charneau, H. Fleury, F. Barre-Sinoussi, & F. F. Sainte Marie. Predominance of CCR5-dependent HIV-1 subtype E isolates in Cambodia. *J Acquir Immune Defic Syndr Hum Retrovirol* **20**:481–7, 1999. (Medline: 99239737).
- [Menu (1996)] E. Menu, T.X., Truong, M. Lafon, T. Nguyen, M. Muller-Trutwin, T. Nguyen, A. Deslandres, G. Chaouat, Q. Duong, B. Ha, H. Fleury, & F. Barre-Sinoussi. Hiv type 1 thai subtype e is predominant in south vietnam. *AIDS Res. Hum. Retroviruses* **12**:629–633, 1996.
- [Michael (1997)] N. L. Michael, A. E. Brown, R. F. Voigt, S. S. Frankel, J. R. Mascola, K. S. Brothers, M. Louder, D. L. Birx, & S. A. Cassol. Rapid disease progression without seroconversion following primary human immunodeficiency virus type 1 infection—evidence for highly susceptible human hosts. *J Infect Dis* **175**:1352–9, 1997. (Medline: 97323978), (Genbank: U52888 U52889 U52890 U52891 U52892 U52893 U52894 U52895 U52896 U52897 U52898 U52899 U52900 U52901 U52902 U52903 U52904 U52905 U52906 U53103 U53104 U53105 U53106 U53107 U53108 U53109 U53110 U53111 U53112 U53113).
- [Michael (1995)] N. L. Michael, G. Chang, L. A. d’Arcy, P. K. Ehrenberg, R. Mariani, M. P. Busch, D. L. Birx, & D. H. Schwartz. Defective accessory genes in a human immunodeficiency virus type 1-infected long-term survivor lacking recoverable virus. *J Virol* **69**:4228–36, 1995. (Medline: 95287475), (Genbank: U24443 U24444 U24445 U24446 U24447 U24448 U24449 U24450 U24451 U24452 U24453 U24454 U24455 U24456 U24457 U24458 U24459 U24460 U24461 U24462 U24463 U24464 U24465 U24466 U24467 U24468 U24469 U24470 U24471 U24472).
- [Michael (1998)] N. L. Michael, J. A. Nelson, V. N. KewalRamani, G. Chang, S. J. O’Brien, J. R. Mascola, B. Volsky, M. Louder, G. 2nd. White, D. R. Littman, R. Swanstrom, & T. R. O’Brien. Exclusive and persistent use of the entry coreceptor CXCR4 by human immunodeficiency virus type 1 from a subject homozygous for CCR5 delta32. *J Virol* **72**:6040–7, 1998. (Medline: 98285765).
- [Monken (1995)] C. E. Monken, B. Wu, & A. Srinivasan. High resolution analysis of HIV-1 quasispecies in the brain. *AIDS* **9**:345–349, 1995. (Medline: 95314789), (Genbank: L17088 L17089 L17090 L17091 L17092 L17093 L17094 L17095 L17096 L17097 L17098 L17099 L17100 L17101 L17102 L17103

- L17104 L17105 L17106 L17107 L17108 L17109 L17110 L17111 L17112 L17113 L17114 L17115 L17116 L17117).
- [Montpetit(1995)] M. Montpetit. HIV-1 subtype A in Canada. *AIDS Res. Hum. Retroviruses* **11**:1421–1422, 1995. (Medline: 96159142).
- [Moodley (1998)] D. Moodley, T. L. Smith, E. J. Van Rensburg, J. Moodley, & S. Engelbrecht. HIV type 1 V3 region subtyping in KwaZulu-Natal, a high-seroprevalence South African region. *AIDS Res Hum Retroviruses* **14**:1015–8, 1998. (Medline: 98349437).
- [Morgado (1998)] M. G. Morgado, M. L. Guimaraes, C. B. Gripp, C. I. Costa, I. Neves, V. G. Veloso, M. I. Linhares-Carvalho, L. R. Castello-Branco, F. I. Bastos, C. Kuiken, E. A. Castilho, B. Galvao-Castro, & V. Bongertz. Molecular epidemiology of HIV-1 in Brazil: high prevalence of HIV-1 subtype B and identification of an HIV-1 subtype D infection in the city of Rio de Janeiro, Brazil. Evandro Chagas Hospital AIDS Clinical Research Group. *J Acquir Immune Defic Syndr Hum Retrovirol* **18**:488–94, 1998. (Medline: 98379703).
- [Morgado (1994)] M. G. Morgado, E. C. Sabino, E. G. Shpaer, V. Bongertz, L. Brigido, M. D. Guimaraes, E. A. Castilho, B. Galvao-Castro, J. I. Mullins, & R. M. H. et al. V3 region polymorphisms in HIV-1 from Brazil: prevalence of subtype B strains divergent from North American/European prototype and detection of subtype F. *AIDS Res Hum Retroviruses* **10**:569–576, 1994. (Medline: 95000929), (Genbank: L19237 L19571 L19575 L19576 L19579).
- [Mulder-Kampinga (1993)] G. A. Mulder-Kampinga, C. Kuiken, J. Dekker, H. J. Scherpbier, K. Boer, & J. Goudsmit. Genomic human immunodeficiency virus type 1 RNA variation in mother and child following intra-uterine virus transmission. *J Gen Virol* **74**:1747–56, 1993. (Medline: 93389428), (Genbank: L21028 L21153).
- [Mulder-Kampinga (1995)] G. A. Mulder-Kampinga, A. Simonon, C. L. Kuiken, J. Dekker, H. J. Scherpbier, de van Perre, K. Boer, & J. Goudsmit. Similarity in env and gag genes between genomic RNAs of human immunodeficiency virus type 1 (HIV-1) from mother and infant is unrelated to time of HIV-1 RNA positivity in the child. *J Virol* **69**:2285–2296, 1995. (Medline: 95191002), (Genbank: L21028 L21029 L21030 L21031 L21032 L21033 L21034 L21035 L21036 L21037 L21038 L21039 L21040 L21041 L21042 L21043 L21044 L21045 L21046 L21047 L21048 L21049 L21050 L21051 L21052 L21053 Z47817 Z47818 Z47819 Z47820).
- [Muller-Trutwin (1999)] M. C. Muller-Trutwin, M. L. Chaix, F. Letourneur, E. Begaud, D. Beaumont, A. Deslandres, B. You, J. Morvan, C. Mathiot, F. Barre-Sinoussi, & S. Saragosti. Increase of HIV-1 subtype A in Central African Republic. *J Acquir Immune Defic Syndr* **21**:164–71, 1999. (Medline: 99287554).
- [Murphy (1993)] E. Murphy, B. Korber, M. C. Georges-Courbot, B. You, A. Pinter, D. Cook, M. P. Kieny, A. Georges, C. Mathiot, & F. B. et al. Diversity of V3 region sequences of human immunodeficiency viruses type 1 from the central African Republic. *AIDS Res Hum Retroviruses* **9**:997–1006, 1993. (Medline: 94107601), (Genbank: L11457 L11458 L11459 L11460 L11461 L11462 L11463 L11464 L11465 L11466 L11467 L11468 L11469 L11470 L11471 L11472 L11473 L11474 L11475 L11476 L11477 L11478 L11479 L11480 L11481 L11482 L11483 L11484 L11485 L11486).
- [Naif (1999)] H. M. Naif, S. Li, M. Alali, J. Chang, C. Mayne, J. Sullivan, & A. L. Cunningham. Definition of the stage of host cell genetic restriction of replication of human immunodeficiency virus type 1 in monocytes and monocyte-derived macrophages by using twins. *J Virol* **73**:4866–81, 1999. (Medline: 99252178).
- [Nasioulas (1999)] G. Nasioulas, D. Paraskevis, E. Magiorkinis, M. Theodoridou, & A. Hatzakis. Molecular analysis of the full-length genome of HIV type 1 subtype I: evidence of A/G/I recombination. *AIDS Res Hum Retroviruses* **15**:745–58, 1999. (Medline: 99284362).

- [Nasioulas (1998)] G. Nasioulas, D. Paraskevis, V. Paparizos, M. Lazanas, A. Karafoulidou, & A. Hatzakis. Genotypic characterization of human immunodeficiency virus type 1 in Greece. Multicentre Study on HIV-1 Heterogeneity. *AIDS Res Hum Retroviruses* **14**:685–90, 1998. (Medline: 98278642).
- [Neilson (1999)] J. R. Neilson, G. C. John, J. K. Carr, P. Lewis, J. K. Kreiss, S. Jackson, R. W. Nduati, D. Mbori-Ngacha, D. D. Panteleeff, S. Bodrug, C. Giachetti, M. A. Bott, B. A. Richardson, J. Bwayo, J. Ndinya-Achola, & J. Overbaugh. Subtypes of human immunodeficiency virus type 1 and disease stage among women in Nairobi, Kenya. *J Virol* **73**:4393–403, 1999. (Medline: 99214380).
- [Neilson (1998)] J. R. Neilson, G. C. John, J. K. Carr, P. Lewis, J. K. Kreiss, S. Jackson, R. W. Nduati, D. Mbori-Ngacha, D. D. Panteleeff, S. Bodrug, C. Giachetti, M. A. Bott, B. A. Richardson, J. Bwayo, J. Ndinya-Achola, J. Overbaugh, I. Olivares, C. Casado Herrero, M. D. Iglesias-Ussel, U. Dietrich, & C. Lopez Galindez. Complete sequence of an infectious molecular clone derived from a Spanish HIV type I isolate. *AIDS Res Hum Retroviruses* **14**:1649–51, 1998. (Medline: 99085865).
- [Nerurkar (1996)] V. R. Nerurkar, H. T. Nguyen, W. M. Dashwood, P. R. Hoffmann, C. Yin, D. M. Morens, A. H. Kaplan, R. Detels, & R. Yanagihara. HIV type 1 subtype E in commercial sex workers and injection drug users in Southern Vietnam. *AIDS Res. Hum. Retroviruses* **12**:841–843, 1996.
- [Nerurkar (1997)] V. R. Nerurkar, H. T. Nguyen, C. L. Woodward, P. R. Hoffmann, W. M. Dashwood, H. T. Long, D. M. Morens, R. Detels, & R. Yanagihara. Sequence and phylogenetic analyses of HIV-1 infection in Vietnam: subtype E in commercial sex workers (CSW) and injection drug users (IDU). *grand* **43**:959–68, 1997. (Medline: 98109582).
- [Nijhuis (1998)] M. Nijhuis, C. A. Boucher, P. Schipper, T. Leitner, R. Schuurman, & J. Albert. Stochastic processes strongly influence HIV-1 evolution during suboptimal protease-inhibitor therapy. *Proc Natl Acad Sci U S A* **95**:14441–6, 1998. (Medline: 99045703).
- [Nkengasong (1994)] J. N. Nkengasong, W. Janssens, L. Heyndrickx, K. Fransen, P. M. Ndumbe, J. Motte, A. Leonaers, M. Ngolle, J. Ayuk, & P. P. et al. Genotypic subtypes of HIV-1 in Cameroon. *AIDS* **8**:1405–1412, 1994. (Medline: 95118531).
- [Novembre (1997)] F. J. Novembre, M. Saucier, D. C. Anderson, S. A. Klumpp, S. P. O'Neil, C. R. 2nd. Brown, C. E. Hart, P. C. Guenther, R. B. Swenson, & H. M. McClure. Development of AIDS in a chimpanzee infected with human immunodeficiency virus type 1. *J Virol* **71**:4086–91, 1997. (Medline: 97248459).
- [Novitsky (1999)] V. A. Novitsky, M. A. Montano, M. F. McLane, B. Renjifo, F. Vannberg, B. T. Foley, T. P. Ndung'u, M. R. d M. J. Makhema, R. Marlink, & M. Essex. Molecular cloning and phylogenetic analysis of human immunodeficiency virus type 1 subtype C: a set of 23 full-length clones from Botswana. *J Virol* **73**:4427–32, 1999. (Medline: 99214383).
- [O'Brien (1990)] W. A. O'Brien, Y. Koyanagi, A. Namazie, J. Q. Zhao, A. Diagne, K. Idler, J. A. Zack, & I. S. Chen. HIV-1 tropism for mononuclear phagocytes can be determined by regions of gp120 outside the CD4-binding domain. *Nature* **348**:69–73, 1990. (Medline: 91043044).
- [Oggioni (99)] M. R. Oggioni, D. Medaglini, L. Romano, F. Peruzzi, T. Maggi, L. Lozzi, L. Bracci, M. Zazzi, F. Manca, P. E. Valensin, & G. Pozzi. Antigenicity and immunogenicity of the V3 domain of HIV type 1 glycoprotein 120 expressed on the surface of *Streptococcus gordonii*. *AIDS Res Hum Retroviruses* **15**:451–9, 99. OTE: (Medline: 99210130).
- [Okamoto (1998)] Y. Okamoto, Y. Eda, A. Ogura, S. Shibata, T. Amagai, Y. Katsura, T. Asano, K. Kimachi, K. Makizumi, & M. Honda. In SCID-hu mice, passive transfer of a humanized antibody prevents infection and atrophic change of medulla in human thymic implant due to intravenous inoculation of primary HIV-1 isolate. *J Immunol* **160**:69–76, 1998. (Medline: 98211683).
- [Olivares (1997)] I. Olivares, G. Shaw, & C. Lopez-Galindez. Phenotypic switch in a Spanish HIV type 1 isolate on serial passage on MT-4 cells (In Process Citation). *AIDS Res Hum Retroviruses* **13**:979–84, 1997. (Medline: 97366584).

- [Oram (1990)] J. D. Oram, R. G. Downing, M. Roff, J. C. Clegg, D. Serwadda, & J. W. Carswell. Nucleotide sequence of a Ugandan HIV-1 provirus reveals genetic diversity from other HIV-1 isolates. *AIDS Res Hum Retroviruses* **6**:1073–8, 1990. (Medline: 91090981), (Genbank: M62320).
- [Orloff (1993)] G. M. Orloff, M. L. Kalish, J. Chipangwi, K. E. Potts, C. Y. Ou, G. Schochetman, G. Dallabetta, A. I. Saah, & P. G. Miotti. V3 loops of HIV-1 specimens from pregnant women in Malawi uniformly lack a potential N-linked glycosylation site. *AIDS Res Hum Retroviruses* **9**:705–6, 1993. (Medline: 93378795), (Genbank: L15721 L15722 L15723 L15724 L15725 L15726 L15727 L15728 L15729 L15730 L15731 L15732 L15733 L15734 L15735).
- [Ortiz (1998)] M. Ortiz, A. Bernal, V. Jimenez, M. Magallon, & A. Garcia-Saiz. Genetic characterization of the V3 loop sequences of 21 HIV type 1 Spanish isolates from hemophilia patients. *AIDS Res Hum Retroviruses* **14**:1487–90, 1998. (Medline: 99039933).
- [Osmanov (1994)] S. Osmanov, W. L. Heyward, & J. Esparza. The World Health Organization Network for HIV Isolation and Characterization: summary of a pilot study. *AIDS Res Hum Retroviruses* **10**:1325–1326, 1994. (Medline: 95194690).
- [Ostrowski (1998)] M. A. Ostrowski, D. C. Krakauer, Y. Li, S. J. Justement, G. Learn, L. A. Ehler, S. K. Stanley, M. Nowak, & A. S. Fauci. Effect of immune activation on the dynamics of human immunodeficiency virus replication and on the distribution of viral quasispecies. *J Virol* **72**:7772–84, 1998. (Medline: 98406177).
- [Ou (1992a)] C. Y. Ou, C. A. Ciesielski, G. Myers, C. I. Bandea, C. C. Luo, B. T. Korber, J. I. Mullins, G. Schochetman, R. L. Berkelman, & A. N. E. et al. Molecular epidemiology of HIV transmission in a dental practice. *Science* **256**:1165–71, 1992a. (Medline: 92271245), (Genbank: M90847 M90848 M90849 M90850 M90851 M90852 M90853 M90854 M90855 M90856 M90857 M90858 M90859 M90860 M90861 M90862 M90863 M90864 M90865 M90866 M90867 M90868 M90869 M90870 M90871 M90872 M90873 M90874 M90875 M90876).
- [Ou (1992b)] C. Y. Ou, Y. Takebe, C. C. Luo, M. Kalish, W. Auwanit, C. Bandea, la de Torre, J. L. Moore, G. Schochetman, & S. Y. et al. Wide distribution of two subtypes of HIV-1 in Thailand. *AIDS Res Hum Retroviruses* **8**:1471–2, 1992b. (Medline: 93103845).
- [Ou (1993)] C. Y. Ou, Y. Takebe, B. G. Weniger, C. C. Luo, M. L. Kalish, W. Auwanit, S. Yamazaki, H. D. Gayle, N. L. Young, & G. Schochetman. Independent introduction of two major HIV-1 genotypes into distinct high-risk populations in Thailand. *Lancet* **341**:1171–4, 1993. (Medline: 93254133).
- [Ouka (1998)] M. Ouka, E. Menu, F. Barin, O. Bera, M. C. Muller-Trutwin, D. Cales-Quist, G. Comlan-Mayaud, S. Abel, J. Martial, C. Neisson-Vernant, G. Sobesky, F. Barre-Sinoussi, & R. Cesaire. Introduction of HIV-1 subtype A in the French West Indies [letter]. *J Acquir Immune Defic Syndr Hum Retrovirol* **19**:308–10, 1998. (Medline: 99019121).
- [Palca(1992a)] J. Palca. AIDS. CDC closes the case of the Florida dentist. *Science* **256**:1130–1, 1992a. (Medline: 92271233).
- [Palca(1992b)] J. Palca. The case of the Florida dentist. *Science* **255**:392–4, 1992b. (Medline: 92132539).
- [Pang (1990)] S. Pang, Y. Koyanagi, S. Miles, C. Wiley, H. V. Vinters, & I. S. Chen. High levels of unintegrated HIV-1 DNA in brain tissue of AIDS dementia patients. *Nature* **343**:85–9, 1990. (Medline: 90114416).
- [Pang (1991)] S. Pang, H. V. Vinters, T. Akashi, W. A. O'Brien, & I. S. Chen. HIV-1 env sequence variation in brain tissue of patients with AIDS- related neurologic disease. *J Acquir Immune Defic Syndr* **4**:1082–92, 1991. (Medline: 92092169).
- [Papa (1998)] A. Papa, G. Adwan, S. Kouidou, J. P. Clewley, S. Alexiou, N. Malisiovas, I. Ntoutsos, B. Kiosses, & A. Antoniadis. The subtypes of HIV type 1 in Greece. *AIDS Res Hum Retroviruses* **14**:1297–8, 1998. (Medline: 98435944).

- [Pasquier (1998)] C. Pasquier, C. Cayrou, A. Blancher, C. Tourne-Petheil, A. Berrebi, J. Tricoire, J. Puel, & J. Izopet. Molecular evidence for mother-to-child transmission of multiple variants by analysis of RNA and DNA sequences of human immunodeficiency virus type 1. *J Virol* **72**:8493–501, 1998. (Medline: 98440505).
- [Peeters (1998)] M. Peeters, B. Koumare, C. Mulanga, C. Brengues, B. Mounirou, F. Bougoudogo, S. Ravel, F. Bibollet-Ruche, & E. Delaporte. Genetic subtypes of HIV type 1 and HIV type 2 strains in commercial sex workers from Bamako, Mali. *AIDS Res Hum Retroviruses* **14**:51–8, 1998. (Medline: 98113996).
- [Penny (1996)] M. A. Penny, S. J. Thomas, N. W. Douglas, S. Ranjbar, H. Holmes, & R. S. Daniels. Env-gene sequences of primary HIV-1 isolates of subtypes B, C, D, E and F obtained from the WHO Network for HIV Isolation and Characterisation. *AIDS Res Hum Retroviruses* **12**:741–747, 1996.
- [Pestano (1993)] G. Pestano, A. Prince, J. Guyden, J. M. Ntambi, A. Atkin, & W. M. Boto. Independent divergences in the CD4 binding site and V3 loop encoded in two seroprevalent Ugandan HIV-1 clinical isolates. *J Acquir Immune Defic Syndr* **6**:872–80, 1993. (Medline: 93301830), (Genbank: M98503 M98504).
- [Pestano (1995)] G. A. Pestano, K. S. Hosford, A. I. Spira, J. Riley, J. M. Xie, N. Sewankambo, L. Brown, D. D. Ho, & W. M. Boto. Seroreactivity of analogous antigenic epitopes in glycoprotein 120 expressed in HIV-1 subtypes A, B, C, and D. *AIDS Res Hum Retroviruses* **11**:589–596, 1995. (Medline: 96093894).
- [Piatak Jr. (1993)] M. Piatak Jr., M. S. Saag, L. C. Yang, S. J. Clark, J. C. Kappes, K. C. Luk, B. H. Hahn, G. M. Shaw, & J. D. Lifson. High levels of HIV-1 in plasma during all stages of infection determined by competitive PCR. *Science* **259**:1749–54, 1993. (Medline: 93206118).
- [Pieniazek (1998)] D. Pieniazek, J. Baggs, D. J. Hu, G. M. Matar, A. M. Abdelnoor, J. E. Mokhbat, M. Uwaydah, A. R. Bizri, A. Ramos, L. M. Janini, A. Tanuri, C. Fridlund, C. Schable, L. Heyndrickx, M. A. Rayfield, & W. Heneine. Introduction of HIV-2 and multiple HIV-1 subtypes to Lebanon. *Emerg Infect Dis* **4**:649–56, 1998. (Medline: 99083976).
- [Pincus (1994)] S. H. Pincus, K. G. Messer, P. L. Nara, W. A. Blattner, G. Colclough, & M. Reitz. Temporal analysis of the antibody response to HIV envelope protein in HIV-infected laboratory workers. *J Clin Invest* **93**:2505–13, 1994. (Medline: 94259810).
- [Popovic (1984)] M. Popovic, N. Flomenberg, D. J. Volkman, D. Mann, A. S. Fauci, B. Dupont, & R. C. Gallo. Alteration of T-cell functions by infection with HTLV-I or HTLV-II. *Science* **226**:459–62, 1984. (Medline: 85040344).
- [Porter (1997)] K. R. Porter, J. R. Mascola, H. Hupudio, D. Ewing, T. C. VanCott, R. L. Anthony, A. L. Corwin, S. Widodo, S. Ertono, F. E. McCutchan, D. S. Burke, C. G. Hayes, F. S. Wignall, & R. R. Graham. Genetic, antigenic and serologic characterization of human immunodeficiency virus type 1 from Indonesia. *J Acquir Immune Defic Syndr Hum Retrovirol* **14**:1–6, 1997. (Medline: 97143192).
- [Poss (1997)] M. Poss, J. Gosink, E. Thomas, J. K. Kreiss, J. Ndinya-Achola, K. Mandaliya, J. Bwayo, & J. Overbaugh. Phylogenetic evaluation of Kenyan HIV type 1 isolates. *AIDS Res Hum Retroviruses* **13**:493–9, 1997. (Medline: 97255644).
- [Potts (1993a)] K. E. Potts, M. L. Kalish, C. I. Bandea, G. M. Orloff, L. S. M., C. Brown, N. Malanda, M. Kavuka, G. Schochetman, & C. Y. O. et al. Genetic diversity of human immunodeficiency virus type 1 strains in Kinshasa, Zaire. *AIDS Res Hum Retroviruses* **9**:613–8, 1993a. (Medline: 93378782).
- [Potts (1993b)] K. E. Potts, M. L. Kalish, T. Lott, G. Orloff, C. C. Luo, M. A. Bernard, C. B. Alves, R. Badaro, J. Suleiman, & O. F. et al. Genetic heterogeneity of the V3 region of the HIV-1 envelope glycoprotein in Brazil. Brazilian Collaborative AIDS Research Group. *AIDS* **7**:1191–7, 1993b. (Medline: 94030749).

- [Quinnan (1999)] G. V. Quinnan, P. F. Zhang, D. W. Fu, M. Dong, & H. J. Alter. Expression and characterization of HIV type 1 envelope protein associated with a broadly reactive neutralizing antibody response. *AIDS Res Hum Retroviruses* **15**:561–70, 1999. (Medline: 99236722).
- [Quinones-Mateu (1999)] M. E. Quinones-Mateu, J. L. Albright, V. Torre, M. Reinis, J. Vandasova, M. Bruckova, & E. J. Arts. Molecular epidemiology of HIV type 1 isolates from the Czech Republic: identification of an env E subtype case. *AIDS Res Hum Retroviruses* **15**:85–9, 1999. (Medline: 99146663).
- [Quinones-Mateu (1995)] M. E. Quinones-Mateu, J. Dopazo, J. A. Este, T. R. Rota, & E. Domingo. Molecular characterization of human immunodeficiency virus type 1 isolates from Venezuela. *AIDS Res Hum Retroviruses* **11**:605–616, 1995. (Medline: 96093896), (Genbank: U16764 U16779).
- [Quinones-Mateu (1996)] M. E. Quinones-Mateu, A. Holguin, V. Soriano, & E. Domingo. Env gene diversity of HIV type 1 isolates from Spain. *AIDS Res. Hum. Retroviruses* **12**:955–957, 1996.
- [R. (1990)] D. R., B. Vanderborght, M. Vanden Haesevelde, L. Heyndrickx, A. van Geel, C. Wauters, R. Bernaerts, E. Saman, P. Nijs, & B. W. et al. Isolation and partial characterization of an unusual human immunodeficiency retrovirus from two persons of west-central African origin. *J Virol* **64**:1207–16, 1990. (Medline: 90156518), (Genbank: M31171).
- [Ramos (1999)] A. Ramos, A. Tanuri, M. Schechter, M. A. Rayfield, D. J. Hu, M. C. Cabral, C. I. Bandea, J. Baggs, & D. Pieniazek. Dual and recombinant infections: an integral part of the HIV-1 epidemic in Brazil. *Emerg Infect Dis* **5**:65–74, 1999. (Medline: 99181514).
- [Ranjbar(1995)] S. Ranjbar. Molecular characterization of an HIV type 1 isolate from Burundi. *AIDS Res. Hum. Retroviruses* **11**:1146, 1995. (Medline: 96089225).
- [Ranjbar (1995)] S. Ranjbar, A. Slade, A. Jenkins, A. Heath, P. Kitchin, N. Almond, S. Osmanov, & H. Holmes. Molecular characterization of an HIV type 1 isolate from Burundi. *AIDS Res Hum Retroviruses* **11**:981–984, 1995. (Medline: 96020099), (Genbank: L35452 L35453 L35454 L35455 L35456 L35457 L35458 L35459).
- [Ray (1998)] S. C. Ray, N. Lubaki, B. R. Dhruva, R. F. Siliciano, & R. C. Bollinger. Autologous strain-specific cytolytic T lymphocyte responses directed against human immunodeficiency virus type 1 Env. *AIDS Res Hum Retroviruses* **14**:3–13, 1998. (Medline: 98113991).
- [Reitz Jr. (1992)] M. S. Reitz Jr., H. G. Guo, J. Oleske, J. Hoxie, M. Popovic, E. Read-Connole, P. Markham, H. Streicher, & R. C. Gallo. On the historical origins of HIV-1 (MN) and (RF). *AIDS Res Hum Retroviruses* **8**:1950, 1992. (Medline: 93144005).
- [Reitz Jr. (1994)] M. S. Reitz Jr., L. Hall, M. Robert-Guroff, J. Lautenberger, B. M. Hahn, G. M. Shaw, L. I. Kong, S. H. Weiss, D. Waters, & R. C. G. et al. Viral variability and serum antibody response in a laboratory worker infected with HIV type 1 (HTLV type IIIB). *AIDS Res Hum Retroviruses* **10**:1143–1155, 1994. (Medline: 95127297).
- [Renjifo (1999)] B. Renjifo, P. Gilbert, B. Chaplin, F. Vannberg, D. Mwakagile, G. Msamanga, D. Hunter, W. Fawzi, & M. Essex. Emerging recombinant human immunodeficiency viruses: uneven representation of the envelope V3 region. *AIDS* **13**:1613–21, 1999. (Medline: 99437260).
- [Richalet-Secordel (1994)] P. M. Richalet-Secordel, A. Deslandres, S. Plaue, B. You, F. Barre-Sinoussi, & R. V. M. H. Cross-reactive potential of rabbit antibodies raised against a cyclic peptide representing a chimeric V3 loop of HIV-1 gp120 studied by biosensor technique and ELISA. *FEMS Immunol Med Microbiol* **9**:77–87, 1994. (Medline: 95004283).
- [Robbins (1996)] K. E. Robbins, C. I. Bandea, A. Levin, J. J. Goedert, W. A. Blattner, G. Brubaker, T. M. Brown, G. Schochetman, M. L. Kalish, J. Shao, & T. R. O'Brien. Genetic variability of human immunodeficiency virus type 1 in rural northwest Tanzania. *AIDS Res. Hum. Retroviruses* **12**:1389–1391, 1996. (Medline: 97046198), (GenBank: U61875 U61879 U61880 U61881).

- [Robbins (1999)] K. E. Robbins, L. G. Kostrikis, T. M. Brown, O. Anzala, S. Shin, F. A. Plummer, & M. L. Kalish. Genetic analysis of human immunodeficiency virus type 1 strains in Kenya: a comparison using phylogenetic analysis and a combinatorial melting assay. *AIDS Res Hum Retroviruses* **15**:329–35, 1999. (Medline: 99180153).
- [Roth (1997)] W. W. Roth, P. N. Levett, C. P. Hudson, T. C. Roach, C. Womack, & V. C. Bond. HIV type 1 envelope sequences from seroconverting patients in Barbados. *AIDS Res Hum Retroviruses* **13**:1443–6, 1997. (Medline: 98022623).
- [Roth (1999)] W. W. Roth, C. Womack, C. Newman, M. Essex, & V. C. Bond. Phylogenetic examination of HIV type 1 glycoprotein 120-V3 sequences in patients from rural Georgia. *AIDS Res Hum Retroviruses* **15**:399–403, 1999. (Medline: 99180162).
- [Roth (1996)] W. W. Roth, J. A. Zuberi, H. G. Stringer, S. K. Davidson, & V. C. Bond. Examination of HIV type 1 variants in mother-child pairs. *AIDS Res. Hum. Retroviruses* **12**:925–930, 1996.
- [Sabino (1994a)] E. Sabino, L. Z. Pan, C. Cheng-Mayer, & A. Mayer. Comparison of in vivo plasma and peripheral blood mononuclear cell HIV-1 quasi-species to short-term tissue culture isolates: an analysis of tat and C2-V3 env regions. *AIDS* **8**:901–9, 1994a. (Medline: 95032920), (Genbank: U01357 U01358 U01359 U01360 U01361 U01362 U01363 U01364 U01365 U01366 U01367 U01368 U01369 U01370 U01371 U01372 U01373 U01374 U01375 U01379 U01380 U01381 U01382 U01383 U01384 U01385 U01386 U01387 U01388 U01389).
- [Sabino (1994b)] E. C. Sabino, E. Delwart, T. H. Lee, A. Mayer, J. I. Mullins, & M. P. Busch. Identification of low-level contamination of blood as basis for detection of human immunodeficiency virus (HIV) DNA in anti-HIV-negative specimens. *J Acquir Immune Defic Syndr* **7**:853–859, 1994b. (Medline: 94293167), (Genbank: L20371 L20372 L20373 L20374 L20375 L20376 L20377 L20378 L20379 L20380).
- [Sabino (1996)] E. C. Sabino, R. S. Diaz, L. F. Brigido, G. H. Learn, J. I. Mullins, A. L. Reingold, A. J. S. Duarte, A. Mayer, & M. P. Busch. Distribution of HIV-1 subtypes seen in an AIDS clinic in Sao Paulo City, Brazil. *AIDS* **10**:1579–1584, 1996.
- [Sabino (1994c)] E. C. Sabino, E. G. Shpaer, M. G. Morgado, B. T. Korber, R. S. Diaz, V. Bongertz, S. Cavalcante, B. Galvao-Castro, J. I. Mullins, & A. Mayer. Identification of human immunodeficiency virus type 1 envelope genes recombinant between subtypes B and F in two epidemiologically linked individuals from Brazil. *J Virol* **68**:6340–6346, 1994c. (Medline: 94365938), (Genbank: U08955 U08956 U08957 U08958 U08959 U08960 U08962 U08963 U08964 U08965 U08966 U08967 U08968 U08969 U08970 U08971 U08972 U08973 U08974 U08975 U10019 U10020 U10021 U10022 U10023 U10024 U10025 U10026).
- [Sagoe (1999)] K. W. Sagoe, S. Britton, J. A. Mingle, K. Affram, A. Djokoto, & A. Sonnerborg. Similar HIV-1 subtype A V3 loop sequences are found in dual HIV-1/HIV-2 and HIV-1-only seropositives in Ghana. *AIDS Res Hum Retroviruses* **15**:775–9, 1999. (Medline: 99284365).
- [Saksena (1997)] N. K. Saksena, Y. C. Ge, B. Wang, S. H. Xiang, J. Ziegler, P. Palasanthiran, W. Bolton, & A. L. Cunningham. RNA and DNA sequence analysis of the nef gene of HIV type 1 strains from the first HIV type 1-infected long-term nonprogressing mother-child pair. *AIDS Res Hum Retroviruses* **13**:729–32, 1997. (Medline: 97311526), (Genbank: U73339 U73340 U73341 U73342 U73343 U73344 U73345 U73346 U73347 U73348 U73349 U73350 U73351 U73352 U73353 U73354 U73355 U73356 U73357 U73358 U73359 U73360 U73361 U73362 U73363 U73364 U73365 U73366 U73367 U73368).
- [Sala (1995)] M. Sala, E. Pelletier, & S. Wain-Hobson. HIV-1 gp120 sequences from a doubly infected drug user. *AIDS Res Hum Retroviruses* **11**:653–655, 1995. (Medline: 96093902), (Genbank: U20670 U20671 U20672 U20673 U20674 U20675 U20676 U20677).
- [Sala (1994)] M. Sala, G. Zambruno, J. P. Vartanian, A. Marconi, U. Bertazzoni, & S. Wain-Hobson. Spatial discontinuities in human immunodeficiency virus type 1 quasispecies derived from epidermal

- Langerhans cells of a patient with AIDS and evidence for double infection. *J Virol* **68**:5280–5283, 1994. (Medline: 94309197).
- [Salminen (1997)] M. O. Salminen, J. K. Carr, D. L. Robertson, P. Hegerich, D. Gotte, C. Koch, E. Sanders-Buell, F. Gao, P. M. Sharp, B. H. Hahn, D. S. Burke, & F. E. McCutchan. Evolution and probable transmission of intersubtype recombinant human immunodeficiency virus type 1 in a Zambian couple. *J Virol* **71**:2647–55, 1997. (Medline: 97213928), (Genbank: K03455 M19921 U86768 U86781).
- [Salminen (1996)] M. O. Salminen, B. Johansson, A. Sonnerborg, S. Ayehunie, D. Gotte, P. Leinikki, D. S. Burke, & F. E. McCutchan. Full-length sequence of an Ethiopian human immunodeficiency virus type 1 (HIV-1) isolate of genetic subtype C. *AIDS Res. Hum. Retroviruses* **12**:1329–1339, 1996.
- [Salminen (1995)] M. O. Salminen, C. Koch, E. Sanders-Buell, P. K. Ehrenberg, N. L. Michael, J. K. Carr, D. S. Burke, & F. E. McCutchan. Recovery of virtually full-length HIV-1 provirus of diverse subtypes from primary virus cultures using the polymerase chain reaction. *Virology* **213**:80–86, 1995. (Medline: 96036482), (Genbank: M17449 M19921 U26546 U26942).
- [Salvatori (1997)] F. Salvatori, S. Masiero, C. Giaquinto, C. M. Wade, A. J. Brown, L. Chieco-Bianchi, & R. D. A. Evolution of human immunodeficiency virus type 1 in perinatally infected infants with rapid and slow progression to disease. *J Virol* **71**:4694–706, 1997. (Medline: 97296279), (Genbank: U74767 U74768 U74769 U74770 U74771 U74772 U74773 U74774 U74775 U74776 U74777 U74778 U74779 U74780 U74781 U74782 U74783 U74784 U74785 U74786 U74788 U74789 U74790 U74791 U74792 U74793 U74794 U74795 U74796 U74797).
- [Sanchez-Palomino (1993)] S. Sanchez-Palomino, J. M. Rojas, M. A. Martinez, E. M. Fenyo, R. Najera, E. Domingo, & C. Lopez-Galindez. Dilute passage promotes expression of genetic and phenotypic variants of human immunodeficiency virus type 1 in cell culture. *J Virol* **67**:2938–43, 1993. (Medline: 93233267).
- [Sanchez-Pescador (1985)] R. Sanchez-Pescador, M. D. Power, P. J. Barr, K. S. Steimer, M. M. Stempien, S. L. Brown-Shimer, W. W. Gee, A. Renard, A. Randolph, & J. A. L. et al. Nucleotide sequence and expression of an AIDS-associated retrovirus (ARV-2). *Science* **227**:484–92, 1985. (Medline: 85090453), (Genbank: K02007).
- [Sato (1999)] H. Sato, T. Shiino, N. Kodaka, K. Taniguchi, Y. Tomita, K. Kato, T. Miyakuni, & Y. Takebe. Evolution and biological characterization of human immunodeficiency virus type 1 subtype E gp120 V3 sequences following horizontal and vertical virus transmission in a single family. *J Virol* **73**:3551–9, 1999. (Medline: 99214287).
- [Sauermann (1990)] U. Sauermann, J. Schneider, J. Mous, U. Brunckhorst, I. Schedel, K. D. Jentsch, & G. Hunsmann. Molecular cloning and characterization of a German HIV-1 isolate. *AIDS Res Hum Retroviruses* **6**:813–23, 1990. (Medline: 90303973).
- [Scarlatti (1993)] G. Scarlatti, T. Leitner, E. Halapi, J. Wahlberg, P. Marchisio, M. A. Clerici-Schoeller, H. Wigzell, E. M. Fenyo, J. Albert, & M. U. et al. Comparison of variable region 3 sequences of human immunodeficiency virus type 1 from infected children with the RNA and DNA sequences of the virus populations of their mothers. *Proc Natl Acad Sci U S A* **90**:1721–5, 1993. (Medline: 93189569), (Genbank: L08277 L08278 L08279 L08280 L08281 L08282 L08283 L08284 L08285 L08286 L08287 L08288 L08289 L08290 L08291 L08292 L08293 L08294 L08295 L08296 L08297 L08298 L08299 L08300 L08301 L08302 L08303 L08304 L08305 L08306).
- [Schwartz (1997)] D. H. Schwartz, R. C. Castillo, S. Arango-Jaramillo, U. K. Sharma, H. F. Song, & G. Sridharan. Chemokine-independent in vitro resistance to human immunodeficiency virus (HIV-1) correlating with low viremia in long-term and recently infected HIV-1-positive persons. *J Infect Dis* **176**:1168–74, 1997. (Medline: 98022673).
- [Se-Thoe (1998)] S. Y. Se-Thoe, B. T. Foley, S. Y. Chan, R. V. Lin, H. M. Oh, A. E. Ling, S. K. Chew, I. Snodgrass, & J. E. Sng. Analysis of sequence diversity in the C2-V3 regions of the external

- glycoproteins of HIV type 1 in Singapore. *AIDS Res Hum Retroviruses* **14**:1601–4, 1998. (Medline: 99054029).
- [Shapshak (1995)] P. Shapshak, I. Nagano, K. Xin, W. Bradley, C. B. McCoy, N. C. Sun, R. V. Stewart, M. Yoshioka, C. Petito, & K. G. et al. HIV-1 heterogeneity and cytokines. Neuropathogenesis. *Adv Exp Med Biol* **373**:225–238, 1995. (Medline: 95397707).
- [Shapshak (1999)] P. Shapshak, D. M. Segal, K. A. Crandall, R. K. Fujimura, B. T. Zhang, K. Q. Xin, K. Okuda, C. K. Petito, C. Eisdorfer, & K. Goodkin. Independent evolution of HIV type 1 in different brain regions. *AIDS Res Hum Retroviruses* **15**:811–20, 1999. (Medline: 99308899).
- [Sherefa (1998)] K. Sherefa, B. Johansson, M. Salminen, & A. Sonnerborg. Full-length sequence of human immunodeficiency virus type 1 subtype A, recombined with subtype C in the env V3 domain. *AIDS Res Hum Retroviruses* **14**:289–92, 1998. (Medline: 98150885).
- [Sherefa (1997)] K. Sherefa, M. Sallberg, B. Johansson, M. Salminen, & A. Sonnerborg. Subtyping of human immunodeficiency virus type 1 strains by using antibodies specific for the third variable domain (V3) of gp120: results may be affected by divergent V3 sequences. *J Clin Microbiol* **35**:2419–21, 1997. (Medline: 97420445).
- [Shibata (1995)] R. Shibata, M. D. Hoggan, C. Broscius, G. Englund, T. S. Theodore, A. Buckler-White, L. O. Arthur, Z. Israel, A. Schultz, H. C. Lane, & et al. Isolation and characterization of a syncytium-inducing, macrophage/T- cell line-tropic human immunodeficiency virus type 1 isolate that readily infects chimpanzee cells in vitro and in vivo. *J Virol* **69**:4453–62, 1995. (Medline: 95287502).
- [Shimizu (1992)] H. Shimizu, F. Hasebe, H. Tsuchie, S. Morikawa, H. Ushijima, & T. Kitamura. Analysis of a human immunodeficiency virus type 1 isolate carrying a truncated transmembrane glycoprotein. *Virology* **189**:534–46, 1992. (Medline: 92351552), (Genbank: D01205 D01206 D01207 D01205 D01206 D01207 D01205 D01206 D01207).
- [Shioda (1997)] T. Shioda, S. Oka, X. Xin, H. Liu, R. Harukuni, A. Kurotani, M. Fukushima, M. K. Hasan, T. Shiino, Y. Takebe, A. Iwamoto, & Y. Nagai. In vivo sequence variability of human immunodeficiency virus type 1 envelope gp120: association of V2 extension with slow disease progression. *J Virol* **71**:4871–81, 1997. (Medline: 97332315), (Genbank: AB002829 AB003019).
- [Shpaer (1994)] E. G. Shpaer, E. L. Delwart, C. L. Kuiken, J. Goudsmit, M. H. Bachmann, & J. I. Mullins. Conserved V3 loop sequences and transmission of human immunodeficiency virus type 1. *AIDS Res Hum Retroviruses* **10**:1679–1684, 1994. (Medline: 95194734).
- [Simmonds (1990)] P. Simmonds, P. Balfe, C. A. Ludlam, J. O. Bishop, & A. J. Brown. Analysis of sequence diversity in hypervariable regions of the external glycoprotein of human immunodeficiency virus type 1. *J Virol* **64**:5840–50, 1990. (Medline: 91056552), (Genbank: M36997).
- [Simon (1998)] F. Simon, P. Mauciere, P. Roques, I. Loussert-Ajaka, M. C. Muller-Trutwin, S. Saragosti, M. C. Georges-Courbot, F. Barre-Sinoussi, & F. Brun-Vezinet. Identification of a new human immunodeficiency virus type 1 distinct from group M and group O. *Nat Med* **4**:1032–7, 1998. (Medline: 98403465).
- [Simonon (1994)] A. Simonon, P. Lepage, E. Karita, D. G. Hitimana, F. Dabis, P. Msellati, G. V. C., F. Nsengumuremyi, A. Bazubagira, & de Van Perre. An assessment of the timing of mother-to-child transmission of human immunodeficiency virus type 1 by means of polymerase chain reaction. *J Acquir Immune Defic Syndr* **7**:952–957, 1994. (Medline: 94328228).
- [Siwka (1994)] W. Siwka, A. Schwinn, K. Baczek, I. Pardowitz, F. Mhalu, J. Shao, A. Rethwilm, & M. ter V. vpu and env sequence variability of HIV-1 isolates from Tanzania. *AIDS Res Hum Retroviruses* **10**:1753–1754, 1994. (Medline: 95194744).
- [Slobod (1994)] K. S. Slobod, S. D. Rencher, A. Farmer, F. S. Smith, & J. L. Hurwitz. HIV type 1 envelope sequence diversity in inner city community. *AIDS Res Hum Retroviruses* **10**:873–875, 1994. (Medline: 95078006), (Genbank: U09140 U09141 U09142 U09143 U09144 U09145 U09146 U09147

- U09148 U09149 U09150 U09151 U09158 U09159 U09160 U09161 U09162 U09163 U09164 U09165 U09166 U09167 U09168 U09169 U09170 U09171 U09172 U09173 U09174 U09175).
- [Smith & Smith(1992)] R. F. Smith & T. F. Smith. Pattern-induced multi-sequence alignment (PIMA) algorithm employing secondary structure-dependent gap penalties for use in comparative protein modeling. *Protein Engineering* **5**:35–41, 1992.
- [Smith & Waterman(1992)] T. F. Smith & M. S. Waterman. The continuing case of the Florida dentist. *Science* **256**:1155–6, 1992. (Medline: 92271243).
- [Sova (1995)] P. Sova, M. van Ranst, P. Gupta, R. Balachandran, W. Chao, S. Itescu, G. McKinley, & D. J. Volsky. Conservation of an intact human immunodeficiency virus type 1 vif gene in vitro and in vivo. *J Virol* **69**:2557–2564, 1995. (Medline: 95191036).
- [Spire (1989)] B. Spire, J. Sire, V. Zachar, F. Rey, F. Barre-Sinoussi, F. Galibert, A. Hampe, & J. C. Chermann. Nucleotide sequence of HIV1-NDK: a highly cytopathic strain of the human immunodeficiency virus. *Gene* **81**:275–84, 1989. (Medline: 90034200).
- [Srinivasan (1987)] A. Srinivasan, R. Anand, D. York, P. Ranganathan, P. Feorino, G. Schochetman, J. Curran, V. S. Kalyanaraman, P. A. Luciw, & R. Sanchez-Pescador. Molecular characterization of human immunodeficiency virus from Zaire: nucleotide sequence analysis identifies conserved and variable domains in the envelope gene. *Gene* **52**:71–82, 1987. (Medline: 87248097), (Genbank: K03458 M16322).
- [Srinivasan (1989)] A. Srinivasan, D. York, D. B. Jr, R. Jannoun-Nasr, J. Getchell, J. McCormick, C. Y. Ou, G. Myers, T. Smith, & E. C. et al. Molecular characterization of HIV-1 isolated from a serum collected in 1976: nucleotide sequence comparison to recent isolates and generation of hybrid HIV. *AIDS Res Hum Retroviruses* **5**:121–9, 1989. (Medline: 89228766).
- [Starcich (1986)] B. R. Starcich, B. H. Hahn, G. M. Shaw, P. D. McNeely, S. Modrow, H. Wolf, E. S. Parks, W. P. Parks, S. F. Josephs, & R. C. G. et al. Identification and characterization of conserved and variable regions in the envelope gene of HTLV-III/LAV, the retrovirus of AIDS. *Cell* **45**:637–48, 1986. (Medline: 86218077), (Genbank: K03455 M12507 M12508 M17451).
- [Stevenson (1990)] M. Stevenson, S. Haggerty, C. Lamonica, A. M. Mann, C. Meier, & A. Wasiak. Cloning and characterization of human immunodeficiency virus type 1 variants diminished in the ability to induce syncytium-independent cytolysis. *J Virol* **64**:3792–803, 1990. (Medline: 90317877).
- [Strunnikova (1998)] N. Strunnikova, S. C. Ray, C. Lancioni, M. Nguyen, & R. P. Viscidi. Evolution of human immunodeficiency virus type 1 in relation to disease progression in children. *J Hum Virol* **1**:224–39, 1998. (Medline: 99211150).
- [Strunnikova (1995)] N. Strunnikova, S. C. Ray, R. A. Livingston, E. Rubalcaba, & R. P. Viscidi. Convergent evolution within the V3 loop domain of human immunodeficiency virus type 1 in association with disease progression. *J Virol* **69**:7548–7558, 1995. (Medline: 96078998), (Genbank: U22682 U22683 U22684 U22685 U22686 U22687 U22688 U22689 U22690 U22691 U22692 U22693 U22694 U22695 U22696 U22697 U22698 U22699 U22700 U22701 U22702 U22703 U22704 U22705 U22706 U22707 U22708 U22709 U22710 U22711).
- [Su (1997)] L. Su, H. Kaneshima, M. L. Bonyhadi, R. Lee, J. Auten, A. Wolf, B. Du, L. Rabin, B. H. Hahn, E. Terwilliger, & J. M. Mccune. Identification of HIV-1 determinants for replication in vivo. *Virology* **227**:45–52, 1997. (Medline: 97167516).
- [Subbarao (1998)] S. Subbarao, K. Limpakarnjanarat, T. D. Mastro, J. Bhumisawasdi, P. Warachit, C. Jayavas, N. L. Young, C. C. Luo, N. Shaffer, M. L. Kalish, & G. Schochetman. HIV type 1 in Thailand, 1994-1995: persistence of two subtypes with low genetic diversity. *AIDS Res Hum Retroviruses* **14**:319–27, 1998. (Medline: 98178715).
- [Takehisa (1997a)] J. Takehisa, M. Osei-Kwasi, N. K. Ayisi, O. Hishida, T. Miura, T. Igarashi, J. Brandful, W. Ampofo, V. B. Netty, M. Mensah, M. Yamashita, E. Ido, & M. Hayami. Phylogenetic analysis

- of human immunodeficiency virus 1 in Ghana. *Acta Virol* **41**:51–4, 1997a. (Medline: 97343087), (Genbank: U67049 U67050 U75451 U75452 U75453 U75454 U75457 U75458 U75459 U75460 U75461).
- [Takehisa (1998)] J. Takehisa, L. Zekeng, E. Ido, I. Mboudjeka, H. Moriyama, T. Miura, M. Yamashita, L. G. Gurtler, M. Hayami, & L. Kaptue. Various types of HIV mixed infections in Cameroon. *Virology* **245**:1–10, 1998. (Medline: 98277067).
- [Takehisa (1999)] J. Takehisa, L. Zekeng, E. Ido, Y. Yamaguchi-Kabata, I. Mboudjeka, Y. Harada, T. Miura, L. Kaptue, & M. Hayami. Human immunodeficiency virus type 1 intergroup (M/O) recombination in Cameroon. *J Virol* **73**:6810–20, 1999. (Medline: 99329206).
- [Takehisa (1997b)] J. Takehisa, L. Zekeng, T. Miura, E. Ido, M. Yamashita, I. Mboudjeka, L. G. Gurtler, M. Hayami, & L. Kaptue. Triple HIV-1 infection with group O and Group M of different clades in a single Cameroonian AIDS patient (letter). *J Acquir Immune Defic Syndr Hum Retrovirol* **14**:81–2, 1997b. (Medline: 97143206), (Genbank: U58148 U58149 U58150 U58151 U58152 U58153 U58154 U58155 U58156 U58157 U58158 U58159).
- [Takeuchi (1991)] Y. Takeuchi, M. Akutsu, K. Murayama, N. Shimizu, & H. Hoshino. Host range mutant of human immunodeficiency virus type 1: modification of cell tropism by a single point mutation at the neutralization epitope in the env gene. *J Virol* **65**:1710–8, 1991. (Medline: 91162716), (Genbank: M58037 M58038 M58039 M59192 M59193 M59888 M59889 M59890 M59891 M59892).
- [Tan (1993)] W. Tan, R. Fredriksson, A. Bjorndal, P. Balfe, & E. M. Fenyo. Cotransfection of HIV-1 molecular clones with restricted cell tropism may yield progeny virus with altered phenotype. *AIDS Res Hum Retroviruses* **9**:321–9, 1993. (Medline: 93290926).
- [Tanuri (1999)] A. Tanuri, P. Swanson, S. Devare, O. J. Berro, A. Savedra, L. J. Costa, J. G. Telles, R. Brindeiro, C. Schable, D. Pieniazek, & M. Rayfield. HIV-1 subtypes among blood donors from Rio de Janeiro, Brazil. *J Acquir Immune Defic Syndr Hum Retrovirol* **20**:60–6, 1999. (Medline: 99125811).
- [Theodore (1996)] T. S. Theodore, G. Englund, A. Buckler-White, C. E. Buckler, M. A. Martin, & K. W. Peden. Construction and characterization of a stable full-length macrophage-tropic HIV type 1 molecular clone that directs the production of high titers of progeny virions. *AIDS Res Hum Retroviruses* **12**:191–4, 1996. (Medline: 96432129).
- [Tien (1999)] P. C. Tien, T. Chiu, A. Latif, S. Ray, M. Batra, C. H. Contag, L. Zejena, M. Mbizvo, E. L. Delwart, J. I. Mullins, & D. A. Katzenstein. Primary subtype C HIV-1 infection in Harare, Zimbabwe. *J Acquir Immune Defic Syndr Hum Retrovirol* **20**:147–53, 1999. (Medline: 99139923).
- [Tripathy (1996)] S. P. Tripathy, B. Renjifo, W. Wang, M. F. McLane, R. Bollinger, J. Rodrigues, J. Osterman, S. Tripathy, & M. Essex. Envelope glycoprotein 120 sequences of primary HIV type 1 isolates from Pune and New Delhi, India. *AIDS Res. Hum. Retroviruses* **12**:1199–1202, 1996.
- [Triques (1999)] K. Triques, A. Bourgeois, S. Saragosti, N. Vidal, E. Mpoudi-Ngole, N. Nzilambi, C. Apetrei, M. Ekwilanga, E. Delaporte, & M. Peeters. High diversity of HIV-1 subtype F strains in Central Africa. *Virology* **259**:99–109, 1999. (Medline: 99294894).
- [Trkola (1996a)] A. Trkola, T. Dragic, J. Arthos, J. M. Binley, W. C. Olson, G. P. Allaway, C. Cheng-Mayer, J. Robinson, P. J. Maddon, & J. P. Moore. CD4-dependent, antibody-sensitive interactions between HIV-1 and its co-receptor CCR-5. *Nature* **384**:184–7, 1996a. (Medline: 97064177).
- [Trkola (1996b)] A. Trkola, W. A. Paxton, S. P. Monard, J. A. Hoxie, M. A. Siani, D. A. Thompson, L. Wu, C. R. Mackay, R. Horuk, & J. P. Moore. Genetic subtype-independent inhibition of human immunodeficiency virus type 1 replication by CC and CXC chemokines. *J Virol* **72**:396–404, 1996b. (Medline: 98080427).
- [Tsuchie (1993)] H. Tsuchie, J. K. Maniar, N. Yoshihara, M. Imai, T. Kurimura, & T. Kitamura. Sequence analysis of V3 loop region of HIV-1 strains prevalent in India. *Jpn J Med Sci Biol* **46**:95–100,

1993. (Medline: 94096635), (Genbank: D13420 D13421 D13422 D13423 D13424 D13425 D13426 D13427).
- [Vallejo (1998)] A. Vallejo, A. Heredia, A. Mas, S. F. Lee, J. S. Epstein, V. Soriano, & I. K. Hewlett. Tropism, coreceptor use, and phylogenetic analysis of both the V3 loop and the protease gene of three novel HIV-1 group O isolates. *J Acquir Immune Defic Syndr Hum Retrovirol* **18**:417–25, 1998. (Medline: 98379694).
- [Van de Peer (1996)] Y. Van de Peer, W. Janssens, L. Heyndrickx, K. Franssen, G. van der Groen, & R. De Wachter. Phylogenetic analysis of the env gene of HIV-1 isolates taking into account individual nucleotide substitution rates. *AIDS* **10**:1485–94, 1996. (Medline: 97085695).
- [van der Hoek (1998a)] L. van der Hoek, J. Goudsmit, J. Maas, & C. J. Sol. Human immunodeficiency virus type 1 in faeces and serum: evidence against independently evolving subpopulations. *J Gen Virol* **79** (Pt 10):2455–9, 1998a. (Medline: 98451331).
- [van der Hoek (1998b)] L. van der Hoek, C. J. Sol, J. Maas, V. V. Lukashov, C. L. Kuiken, & J. Goudsmit. Genetic differences between human immunodeficiency virus type 1 subpopulations in faeces and serum. *J Gen Virol* **79** (Pt 2):259–67, 1998b. (Medline: 98131952).
- [van der Hoek (1996)] L. van der Hoek, C. J. Sol, F. Snijders, J. F. Bartelsman, R. Boom, & J. Goudsmit. Human immunodeficiency virus type 1 RNA populations in faeces with higher homology to intestinal populations than to blood populations. *J Gen Virol* **77** (Pt 10):2415–25, 1996. (Medline: 97042272), (Genbank: Z76463 Z76464 Z76465 Z76466 Z76467 Z76468 Z76469 Z76470 Z76471 Z76472 Z76473 Z76474 Z76475 Z76476 Z76477 Z76478 Z76479 Z76480 Z76481 Z76482 Z76483 Z76484 Z76485 Z76486 Z76487 Z76488 Z76489 Z76490 Z76491 Z76492).
- [Van Harmelen (1999)] J. H. Van Harmelen, E. Van der Ryst, A. S. Loubser, D. York, S. Madurai, S. Lyons, R. Wood, & C. Williamson. A predominantly HIV type 1 subtype C-restricted epidemic in South African urban populations. *AIDS Res Hum Retroviruses* **15**:395–8, 1999. (Medline: 99180161).
- [van 't Wout (1998)] A. B. van 't Wout, H. Blaak, L. J. Ran, M. Brouwer, C. Kuiken, & H. Schuitemaker. Evolution of syncytium-inducing and non-syncytium-inducing biological virus clones in relation to replication kinetics during the course of human immunodeficiency virus type 1 infection. *J Virol* **72**:5099–107, 1998. (Medline: 98241752).
- [Vanden Haesevelde (1994)] M. Vanden Haesevelde, J. L. Decourt, L. D. R. J., B. Vanderborcht, G. van der Groen, H. van Heuverswijn, & E. Saman. Genomic cloning and complete sequence analysis of a highly divergent African human immunodeficiency virus isolate. *J Virol* **68**:1586–96, 1994. (Medline: 94149849), (Genbank: L23119).
- [Vella (1995)] C. Vella, M. H. Smith, G. H. Farrar, D. H. Jones, & R. S. Daniels. A molecular and serologic study of the envelope gene of the British isolate: HIV-1 GB8. *Vaccine* **13**:735–41, 1995. (Medline: 96100812).
- [vonBrunn (1995)] A. vonBrunn, B. vonBrunn, J. Eberle, B. Biryahwaho, R. G. Downing, & L. Gurtler. New crown motif of an HIV-1 V3 loop sequence from a Ugandan AIDS patient. *AIDS Res Hum Retroviruses* **11**:183–184, 1995. (Medline: 95251931), (Genbank: U15005 U15006 U15007).
- [Voulgaropoulou (1999)] F. Voulgaropoulou, B. Tan, M. Soares, B. Hahn, & L. Ratner. Distinct human immunodeficiency virus strains in the bone marrow are associated with the development of thrombocytopenia. *J Virol* **73**:3497–504, 1999. (Medline: 99174056).
- [Wade (1998)] C. M. Wade, D. Lobidel, & A. J. Brown. Analysis of human immunodeficiency virus type 1 env and gag sequence variants derived from a mother and two vertically infected children provides evidence for the transmission of multiple sequence variants. *J Gen Virol* **79** (Pt 5):1055–68, 1998. (Medline: 98264482).
- [Wain-Hobson (1985)] S. Wain-Hobson, P. Sonigo, O. Danos, S. Cole, & M. Alizon. Nucleotide sequence of the AIDS virus, LAV. *Cell* **40**:9–17, 1985. (Medline: 85099333), (Genbank: K02013).

- [Wain-Hobson (1991)] S. Wain-Hobson, J. P. Vartanian, M. Henry, N. Chenciner, R. Cheynier, S. Delasus, L. P. Martins, M. Sala, M. T. Nugeyre, & D. G. et al. LAV revisited: origins of the early HIV-1 isolates from Institut Pasteur. *Science* **252**:961–5, 1991. (Medline: 91240282), (Genbank: M64178 M64179 M64180 M64181 M64182 M64183 M64184 M64185 M64186 M64187 M64188 M64189 M64190 M64191 M64192 M64193 M64194 M64195 M64196 M64197 M64198 M64199 M64200 M64201 M64202 M64203 M64204 M64205 M64206 M64207).
- [Wang (1997a)] B. Wang, Y. C. Ge, R. Jozwiak, W. Bolton, P. Palasanthiran, J. Ziegler, J. Chang, S. H. Xiang, A. L. Cunningham, & N. K. Saksena. Molecular analyses of human immunodeficiency virus type 1 V3 region quasispecies derived from plasma and peripheral blood mononuclear cells of the first long-term-nonprogressing mother and child pair. *J Infect Dis* **175**:1510–5, 1997a. (Medline: 97324000).
- [Wang (1997b)] B. Wang, Y. C. Ge, P. Palasanthiran, J. Ziegler, W. Bolton, S. H. Xiang, D. E. Dwyer, A. L. Cunningham, & N. K. Saksena. HIV type 1 V3 loop sequences derived from peripheral blood of transmitting mothers, their infants, and nontransmitting mothers differ in their crown octapeptide motifs. *AIDS Res Hum Retroviruses* **13**:275–9, 1997b. (Medline: 97186421), (Genbank: U66625 U66626 U66627 U66628 U66629 U66630 U66631 U66632 U66633 U66634 U66635 U66636 U66637 U66638 U66639 U66640 U66641 U66642 U66643 U66644 U66645 U66646 U66647 U66648 U66649 U66650 U66651 U66652 U66653 U66654).
- [Wang (1998)] B. Wang, R. Jozwiak, Y. C. Ge, & N. K. Saksena. A unique, naturally occurring single-amino acid mutation in HIV type 1 V3 loop can discriminate between its cytopathicity and replication in vivo and in vitro. *AIDS Res Hum Retroviruses* **14**:1019–21, 1998. (Medline: 98349438).
- [Wang (1996a)] W. Wang, H. Brumblay, M. Essex, & T.-H. Lee. The ratio of non-synonymous nucleotide substitutions to synonymous nucleotide substitutions per site of divergent gp120 sequences: Intrasubject and intersubject comparisons. *Unpublished* 1996a.
- [Wang (1995)] W. Wang, M. Essex, & T. H. Lee. Uncommon gp120 cysteine residues found in primary HIV-1 isolates. *AIDS Res Hum Retroviruses* **11**:185–188, 1995. (Medline: 95251932), (Genbank: U16324 U16325 U16326 U16327 U16328 U16329 U16330 U16331 U16332 U16333 U16334 U16335).
- [Wang (1996b)] W. Wang, K. H. Mayer, M. Essex, & T. Lee. Sequential change of cysteine residues in hypervariable region 1 of gp120 in primary HIV-1 isolates of subtype B. *AIDS Res. Hum. Retroviruses* **12**:1195–1197, 1996b.
- [Wasi (1995)] C. Wasi, B. Herring, S. Raktham, S. Vanichseni, T. D. Mastro, N. L. Young, H. Rubsameng-Waigmann, H. von Briesen, M. L. Kalish, C. C. Luo, & et al. Determination of HIV-1 subtypes in injecting drug users in Bangkok, Thailand, using peptide-binding enzyme immunoassay and heteroduplex mobility assay: evidence of increasing infection with HIV-1 subtype E. *AIDS* **9**:843–9, 1995. (Medline: 96014956).
- [Wei & Fultz(1998)] Q. Wei & P. N. Fultz. Extensive diversification of human immunodeficiency virus type 1 subtype B strains during dual infection of a chimpanzee that progressed to AIDS. *J Virol* **72**:3005–17, 1998. (Medline: 98184535).
- [Weniger (1994)] B. G. Weniger, Y. Takebe, C. Y. Ou, & S. Yamazaki. The molecular epidemiology of HIV in Asia. *AIDS* **8**:S13–28, 1994. (Medline: 95160969), (Genbank: L07442 L07443 L07444 L07445 L07446 L07447 L07448 L07449 L07450 L07451 L07452 L07453 L07454 L07455 L07456 L07457 L07458 L07459 L07460 L07461 L07462 L07463 L07464 L19238 L19239 L32084 L32085 L32086 L32087 L32088).
- [Westervelt (1991)] P. Westervelt, H. E. Gendelman, & L. Ratner. Identification of a determinant within the human immunodeficiency virus 1 surface envelope glycoprotein critical for productive infection of primary monocytes. *Proc Natl Acad Sci U S A* **88**:3097–101, 1991. (Medline: 91195299), (Genbank: M60157 M60158 M60159 M60160 M60161 M60162 M60163 M60164 M60165 M60472).
- [Willey (1986)] R. L. Willey, R. A. Rutledge, S. Dias, T. Folks, T. Theodore, C. E. Buckler, & M. A. Martin. Identification of conserved and divergent domains within the envelope gene of the acquired

- immunodeficiency syndrome retrovirus. *Proc Natl Acad Sci U S A* **83**:5038–42, 1986. (Medline: 86259728), (Genbank: K03346 K03347 K03455).
- [Wolfs (1991)] T. F. Wolfs, G. Zwart, M. Bakker, M. Valk, C. L. Kuiken, & J. Goudsmit. Naturally occurring mutations within HIV-1 V3 genomic RNA lead to antigenic variation dependent on a single amino acid substitution. *Virology* **185**:195–205, 1991. (Medline: 92024075), (Genbank: M74591 M74592 M74593 M74594 M74595 M74596 M74597 M74598 M74599 M74600 M74601 M74602 M74603 M74604 M74605 M74606 M74607 M74608 M74609 M74610 M74611 M74612 M74613 M74614 M74615 M74616 M74617 M74618 M74619 M74620).
- [Wolfs (1992a)] T. F. Wolfs, G. Zwart, M. Bakker, & J. Goudsmit. HIV-1 genomic RNA diversification following sexual and parenteral virus transmission. *Virology* **189**:103–10, 1992. (Medline: 92295544), (Genbank: M91819 M91820 M91821 M91822 M91823 M91824 M91825 M91826 M91819 M91820 M91821 M91822 M91823 M91824 M91825 M91826).
- [Wolfs(1992b)] T. F. W. Wolfs. Genetic variation of the third variable envelope region in natural HIV-1 infection. *Doctoral Thesis, Amsterdam* 1992.
- [Wolinsky (1996)] S. M. Wolinsky, B. T. M. Korber, A. U. Neumann, M. Daniels, K. J. Kunstman, A. J. Whetsell, Y. Cao, D. D. Ho, J. T. Safrit, & R. A. Koup. Adaptive evolution of human immunodeficiency virus type 1 during the natural course of infection. *Science* **272**:537–542, 1996.
- [Wrin (1995)] T. Wrin, T. P. Loh, J. C. Vennari, H. Schuitemaker, & J. H. Nunberg. Adaptation to persistent growth in the H9 cell line renders a primary isolate of human immunodeficiency virus type 1 sensitive to neutralization by vaccine sera. *J Virol* **69**:39–48, 1995. (Medline: 95074890), (Genbank: U15030 U15032).
- [Xin (1995a)] K. Q. Xin, X. H. Ma, K. A. Crandall, H. Bukawa, Y. Ishigatsubo, S. Kawamoto, & K. Okuda. Dual infection with HIV-1 Thai subtype B and E (letter). *Lancet* **346**:1372–3, 1995a. (Medline: 96064971).
- [Xin (1995b)] K. Q. Xin, P. Shapshak, S. Kawamoto, I. Nagano, C. B. McCoy, & K. Okuda. Highly divergent env sequences of HIV-1 B subtype with two novel V3 loop motifs detected in an AIDS patient in Miami, Florida. *AIDS Res. Hum. Retroviruses* **11**:1139–41, 1995b. (Medline: 96089223).
- [York-Higgins (1990)] D. York-Higgins, C. Cheng-Mayer, D. Bauer, J. A. Levy, & D. Dina. Human immunodeficiency virus type 1 cellular host range, replication, and cytopathicity are linked to the envelope region of the viral genome. *J Virol* **64**:4016–20, 1990. (Medline: 90317906).
- [Yourno (1988)] J. Yourno, S. F. Josephs, M. Reitz, D. Zagury, F. Wong-Staal, & R. C. Gallo. Nucleotide sequence analysis of the env gene of a new Zairian isolate of HIV-1. *AIDS Res Hum Retroviruses* **4**:165–73, 1988. (Medline: 88281278), (Genbank: J03653).
- [Yu (1995)] X. F. Yu, Z. Wang, C. Beyrer, D. D. Celentano, C. Khamboonruang, E. Allen, & K. Nelson. Phenotypic and genotypic characteristics of human immunodeficiency virus type 1 from patients with AIDS in northern Thailand. *J Virol* **69**:4649–55, 1995. (Medline: 95333239), (Genbank: M75007 U25550 U25551 U25552 U25553 U25554 U25555 U25556 U25557 U25558 U25559 U25560 U25561 U25562 U25563 U25564 U25565 U25566 U25567 U25568 U25569 U25570 U25571 U25572 U25573 U25574 U25575 U25576 U25577 U25578).
- [Yu (1997)] X. F. Yu, Z. Wang, C. Beyrer, D. D. Celentano, C. Khamboonruang, & K. Nelson. Diversity of full-length subtype E HIV type 1 env sequences in early seroconvertors from northern Thailand. *AIDS Res Hum Retroviruses* **13**:1439–41, 1997. (Medline: 98022622).
- [Zachar (1996a)] V. Zachar, A. S. Goustin, V. Zacharova, H. Hager, U. Koppelhus, D. D. Womble, X. Liu, C. Bamba, A. Nyongo, & P. Ebbesen. Genetic polymorphism of envelope V3 region of HIV type 1 subtypes A, C, and D from Nairobi, Kenya. *AIDS Res. Hum. Retroviruses* **12**:75–78, 1996a.
- [Zachar (1996b)] V. Zachar, V. Mayer, V. Zacharova, H. Schmidtmayerova, J. Kasanicka, M. Mokras, X. Liu, A. S. Goustin, & P. Ebbesen. Spread of HIV type 1 in Slovakia remains limited and is restricted to subtype B. *AIDS Res. Hum. Retroviruses* **12**:1069–1071, 1996b.

- [Zachar (1999)] V. Zachar, V. Zacharova, T. Fink, R. A. Thomas, B. R. King, P. Ebbesen, T. B. Jones, & A. S. Goustin. Genetic analysis reveals ongoing HIV type 1 evolution in infected human placental trophoblast. *AIDS Res Hum Retroviruses* **15**:1673–83, 1999. (Medline: 20072106).
- [Zhang (1997)] L. Zhang, R. S. Diaz, D. D. Ho, J. W. Mosley, M. P. Busch, & A. Mayer. Host-specific driving force in human immunodeficiency virus type 1 evolution in vivo. *J Virol* **71**:2555–61, 1997. (Medline: 97184598), (Genbank: U29433 U29434 U29435 U29436 U29437 U29956 U29957 U29959 U29960 U29961 U29962 U29963 U29964 U29965 U29966 U29967 U29968 U29969 U29970 U29971 U29972 U29973 U29974 U29975 U29976 U29977 U29978 U29979 U29980 U29981).
- [Zhang (1993)] L. Q. Zhang, P. MacKenzie, A. Cleland, E. C. Holmes, A. J. Brown, & P. Simmonds. Selection for specific sequences in the external envelope protein of human immunodeficiency virus type 1 upon primary infection. *J Virol* **67**:3345–56, 1993. (Medline: 93267786), (Genbank: L13488 L13489 L13490 L13491 L13492 L13493 L13494 L13495 L13496 L13497 L13498 L13499 L13500 L13501 L13502 L13503 L13504 L13505 L13506 L13507 L13508 L13509 L13510 L13511 L13512 L13513 L13514 L13515 L13516 L13517).
- [Zhang (1999)] P. F. Zhang, X. Chen, D. W. Fu, J. B. Margolick, & G. V. Quinnan. Primary virus envelope cross-reactivity of the broadening neutralizing antibody response during early chronic human immunodeficiency virus type 1 infection. *J Virol* **73**:5225–30, 1999. (Medline: 99252223).
- [Zhu & Ho(1995)] T. Zhu & D. D. Ho. Was HIV present in 1959? *Nature* **374**:503–504, 1995. (Medline: 95214770).
- [Zhu (1993)] T. Zhu, H. Mo, N. Wang, D. S. Nam, Y. Cao, R. A. Koup, & D. D. Ho. Genotypic and phenotypic characterization of HIV-1 patients with primary infection. *Science* **261**:1179–81, 1993. (Medline: 93361976), (Genbank: L21224 L21225 L21226 L21227 L21228 L21229 L21230 L21231 L21232 L21233 L21234 L21235 L21236 L21237 L21238 L21239 L21240 L21241 L21242 L21243 L21244 L21245 L21246 L21247 L21248 L21249 L21250 L21251 L21252 L21253).
- [Zhu (1996)] T. Zhu, N. Wang, A. Carr, D. S. Nam, R. Moor-Jankowski, D. A. Cooper, & D. D. Ho. Genetic characterization of human immunodeficiency virus type 1 in blood and genital secretions: evidence for viral compartmentalization and selection during sexual transmission. *J Virol* **70**:3098–107, 1996. (Medline: 96186740), (Genbank: U50780 U50781 U50782 U50783 U50784 U50785 U50786 U50787 U50788 U50789 U50790 U50791 U50792 U50793 U50794 U50795 U50796 U50797 U50798 U50799 U50800 U50801 U50802 U50803 U50804 U50805 U50806 U50807 U50808 U50809).
- [Zhu (1995)] T. Zhu, N. Wang, A. Carr, S. Wolinsky, & D. D. Ho. Evidence for coinfection by multiple strains of human immunodeficiency virus type 1 subtype B in an acute seroconverter. *J Virol* **69**:1324–1327, 1995. (Medline: 95115099), (Genbank: U16372 U16373 U16374 U16375 U16376 U16377 U16378 U16379 U16380 U16381 U16382 U16383 U16384 U16385 U16386 U16387 U16388).
- [Zwart (1994a)] G. Zwart, N. K. Back, C. Ramautarsing, M. Valk, L. van der Hoek, & J. Goudsmit. Frequent and early HIV-1MN neutralizing capacity in sera from Dutch HIV-1 seroconverters is related to antibody reactivity to peptides from the gp120 V3 domain. *AIDS Res Hum Retroviruses* **10**:245–251, 1994a. (Medline: 94289062).
- [Zwart (1994b)] G. Zwart, L. van der Hoek, M. Valk, M. T. Cornelissen, E. Baan, J. Dekker, M. Koot, C. L. Kuiken, & J. Goudsmit. Antibody responses to HIV-1 envelope and gag epitopes in HIV-1 seroconverters with rapid versus slow disease progression. *Virology* **201**:285–93, 1994b. (Medline: 94240812), (Genbank: U05786 U05787 U05788 U05789 U05790 U05791 U05792 U05793 U05794 U05795 U05796 U05797 U05798 U05799 U05800 U05801 U05802 U05803 U05804 U05805 U05806 U05807 U05808 Z29279 Z29287 Z29289 Z29292).
- [Zwart (1993)] G. Zwart, T. F. Wolfs, R. Bookelman, S. Hartman, M. Bakker, C. A. Boucher, C. Kuiken, & J. Goudsmit. Greater diversity of the HIV-1 V3 neutralization domain in Tanzania compared with The Netherlands: serological and genetic analysis. *AIDS* **7**:467–74, 1993. (Medline: 93283054).
- [Zwart (1992)] G. Zwart, T. F. Wolfs, M. Valk, L. Van der Hoek, C. L. Kuiken, & J. Goudsmit. Characterization of the specificity of the human antibody response to the V3 neutralization domain of HIV-1. *AIDS Res Hum Retroviruses* **8**:1897–908, 1992. (Medline: 93143999).